

ACCESSORIES CATALOGUE



I 2021

DESIGNED FOR PROFESSIONALS

METAL • WOOD • CONSTRUCTION • DISCS

 stayer.es



Constant development,
professional quality.

OUR FOPCSING'S PRINCIPLES

Being over 60 years in the power tools market has taught us that in order to keep bringing the best solutions to our sector we need a constant & parallel growth to the technological improvements.

In the same manner and direction that our specialized engineers, specialists net, salesmans and team; we work together to satisfy the market's needs and requirements, while staying at a maximum competence level on a national and international levels.

Besides that, we follow three basic principles, we manage to satisfy the client requirements; we produce quality tools with high quality standards ensuring the best experience and results.

Because of that, our three foPcsing's principles are:

- **Constant development & innovation** to offer quality and technology.
- **Professionality & involvement** to provide the best solutions and service.
- **Constant production & assembling control** to guarantee the highest performance.



We produce tools for professionals

WE HAVE AN OPTIMAL QUALITY CONTROL

If we are proud of anything, that is our dedication and compromise to produce tools to satisfy every industry professional needs.


And all of that is possible thanks to:

I&D, production and assembly departments collaboration.

With them we guarantee that every production step meets our desired requirements

Our specialized engineers. As they are responsible of improving and updating our tools they test and verify that each component, tool and prototype meet the highest quality standards.

And the packaging team. That always ensures the packaging's reliability in order to reach our clients in perfect condition.



Our clients stay satisfied

WE PROVIDE THE BEST AFTER-SALES SERVICE

Being close to our clients, we guarantee the best service in any of the 70 countries where we are present.

Over the phone, web page or e-mail it is possible to contact our technical service network and customer service to attend to any suggestion or requirement they may provide.

Once we gather all that feedback, our I&D department analyzes and provides the best solutions in the shortest time window possible. All thanks to the strict tool's monitoring from the assembly line to our customer.



We supply all the sector requirements

WE OFFER DIFFERENT ACCESSORIES FOR EVERY TOOL

Because we want to help our clients and provide them with everything they need.

Day to day our departments analyze the market needs and search for different alternatives to improve our tools performance and our clients productivity.

That leads us to present this new Accessories Catalogue where we greatly expand our range for each one of our tools.

Hammers, drills, screwdrivers, angle grinders, sanders, reciprocating and jig saws and many more all combined in a single place to make it easier and quicker to search for.

Eleven sections where you will find each accessory main advantages, applications, features, costs as well as carry cases and stands to present them on the sales point.

A complete guide to compare and choose the best accessory for the tool being used to work with.

INDEX

Rotary & demolition hammer accessories	7	Woodworking accessories	57
SDS PLUS drill bits (PRO 4)		Router accessories	58
SDS MAX drill bits	8	Collets & nuts	60
SDS PLUS / MAX Chisels & Pointers	9	Planer accessories	60
HEX30 Chisels & Pointers	10	Biscuit joiner accessories	60
Boring cores	11		
	11	Multi tools accessories	61
Drill accessories	13	Oscillating Multi Tool accessories	62
Construction & masonry		Multidrill accessories	65
Concrete & construction drill bits	15	Sanding and roughing set	66
Porcelanic diamond drill bits	16	Cutting set	66
Glass & tiles diamond drill bits	16	Cutting and roughing set	67
Metal		Polishing sets	67
HSS-R laminated metal drill bits	17	Vacuum cleaner accessories	68
HSS-G rectified metal drill bits	17	Mixer accessories	70
HSS-Co rectified with cobalt metal drill bits	18	High pressure water cleaner accessories	71
Step drill bits	19		
Countersink bits	20	Widia discs for circular saws	73
Bimetallic cores	20	Wood discs	74
Wood		Laminate discs	75
Spiral drill bits	21	Aluminum & metal discs	75
Spade drill bits	21	Multimaterial / HSS	76
Salomonic drill bits (Lewis)	21	Polycrystalline diamond discs	76
Forstner bits	22	Wall chaser milling cutter	76
Countersink bits	22		
Screwdriving bits	23	Discs & diamond tools	77
Bits & socket spanners	24	A) Angle grinder	
Drill chucks	25	Angle grinder cutting - Turbo Porcelanic	
Car set	26	Porcelanico Platinum	80
		Porcelanico Profesional	81
		Construction Platinum	82
		Construction Profesional	82
		Construction Basico	82
Die grinder & drill accessories	27	Angle grinder cutting - Continuous segment	
Hard metal burrs	28	Porcelanico Profesional	83
Flap rolls	29	Construction Basico	83
Brass wire brushes	29	Angle grinder cutting - Segmented	
Pink corPcsum mounted points	29	Construccion Platimun (Laser)	84-85
Angle grinder aspiration carters	30	Construccion Profesional (Laser)	86-88
		Construccion Básico	89
Flexible sanding accessories	31	Roughing plates & special cuts	90
Sanding discs 115 / 125 / 150 / 180 / 225	33-34	Vacuum Brazing y electrodeposited	91
Mesh sanding discs	35	Porcelanic cores	92-93
Belt sanding sheets for belt sanders	36	B) Cutting table & Powe cutter	
Rectangular and delta sanding sheets	37-38	Porcelaánico Platinum	94-95
Sandpapers & sanding rolls	39	Porcelanico Profesional	94-95
Abrasive rolls for metal drum polishers	40	Construccion	95
Sanding blocks & sponges	41	(C) Cutting table & Bridge cutter	97
Bench grinder accessories	42		
ø125 / 150 / 180 Polisher accessories	43-44	D) Joint cutter	98
Saw blades	45	E) Wall cutter	99
Reciprocating saw blades			
Wood	46	F) Joist cutter	99
Metal	48		
Mixed	49	G) Boring cores	99
Frozen goods	50	Bore drilling cores (water cutting)	
Construction	51		
Jig saw blades		Abrasive discs	100
Mixed	52	Cutting and roughing abrasive discs	101
Wood	53	Flap discs	104
Metal	55		
Belt saw blades for metal	56	Merchandisers and storage	106
		Merchandisers and storage	107



ACCESSORIES FOR
HAMMERS

Rotary & demolition hammer accessories

SDS PLUS (PRO4) Bits



ADVANTAGES

- High quality hardened steel with tungsten carbide tip.
- 4 tips "X" shaped point **to improve the bit's resistance and lifespan**, allowing reinforced concrete drilling without getting stuck like conventional drill bits do.
- Centering point to improve the drilling precision.
- Double channel spiral grooves for an optimal dust extraction, reducing the bit's abrasion while increasing the drilling speed.
- Optimal welded point to increase its resistance increasing its lifespan while decreasing drilling vibrations.


APPLICATIONS

For masonry, concrete and reinforced concrete.
Compatible with every drill and hammer with an SDS PLUS insertion.



4 Points

Ø x Lt x Lu



Ø: (Diameter)

Lt: Total length.

Lu: Use length.

SDS PLUS (PRO 4) 5 bits set



Pcs	Ø (mm)	Lt (mm)	Lu (mm)	Article code	R.S.P
5	5-6-8 10-12	110-160	50-110	11.5939	39.40€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
5	110	50	11.5703	2.00€
6	110	50	11.5436	2.20€
7	110	50	11.5840	2.50€
8	110	50	11.5437	3.00€
9	110	50	11.5841	3.00€
10	110	50	11.5438	3.50€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
5	160	100	11.5704	2.50€
6	160	100	11.5439	2.70€
7	160	100	11.5842	2.90€
8	160	100	11.5440	3.00€
9	160	100	11.5843	3.20€
10	160	100	11.5441	3.40€
11	160	100	11.5844	3.50€
12	160	100	11.5442	3.70€
14	160	100	11.5852	4.50€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
6	210	150	11.5443	3.00€
8	210	150	11.5705	3.20€
10	210	150	11.5706	3.50€
12	210	150	11.5707	4.00€
14	210	150	11.5444	5.50€
16	210	150	11.5445	6.50€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
8	260	200	11.5895	3.50€
10	260	200	11.5896	4.00€
12	260	200	11.5897	5.00€
14	260	200	11.5898	6.00€
16	260	200	11.5899	7.50€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
10	310	250	11.5708	5.00€
12	310	250	11.5709	5.50€
14	310	250	11.5710	6.50€
16	310	250	11.5711	8.00€
18	310	250	11.5712	10.00€
20	310	250	11.5713	12.00€
22	310	250	11.5714	16.00€
25	310	250	11.5715	19.00€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
10	450	400	11.5446	7.00€
12	450	400	11.5447	7.50€
14	450	400	11.5448	10.00€
16	450	400	11.5449	12.00€
18	450	400	11.5450	17.00€
20	450	400	11.5451	19.00€
22	450	400	11.5452	24.00€
25	450	400	11.5453	28.00€

Pcs	Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
5	5	110	50	11.5739	10.00€
5	6	110	50	11.5740	11.00€
5	5	160	100	11.5741	12.00€
5	6	160	100	11.5742	13.00€
5	8	160	100	11.5743	14.00€
5	10	160	100	11.5744	16.00€

Rotary & demolition hammer accessories

SDS MAX (PRO4) Bits



ADVANTAGES

- High quality hardened steel with tungsten carbide tip.
- 4 tips "X" shaped point **to improve the bit's resistance and lifespan**, allowing reinforced concrete drilling without getting stuck like conventional drill bits do.
- Nickel coating for an improved resistance and longer lifespan.
- Centering point to improve the drilling precision.
- Double channel spiral grooves for an optimal dust extraction, reducing the bit's abrasion while increasing the drilling speed.
- Optimal welded point to increase its resistance increasing its lifespan while decreasing drilling vibrations.

APPLICATIONS

For masonry, concrete and reinforced concrete.

Compatible with every drill and hammer with an SDS MAX insertion.


Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
16	260	140	11.5429	16.00€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
12	340	200	11.5454	21.00€
14	340	200	11.5455	23.00€
16	340	200	11.5456	25.00€
18	340	200	11.5457	28.00€
20	340	200	11.5458	32.00€
22	320	200	11.5900	35.00€
24	320	200	11.5901	39.00€
25	320	200	11.5902	44.00€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
14	380	260	11.5432	30.00€
18	380	260	11.5433	34.00€
20	380	260	11.5431	37.00€
22	380	260	11.5428	46.00€
26	380	260	11.5430	53.00€
28	380	260	11.5434	67.00€
32	380	260	11.5427	81.00€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
12	540	400	11.5459	31.00€
14	540	400	11.5460	35.00€
16	540	400	11.5461	39.00€
18	540	400	11.5462	43.00€
20	520	400	11.5463	46.00€
22	520	400	11.5464	52.00€
25	520	400	11.5465	59.00€

Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P
18	600	450	11.5466	47.00€
20	600	450	11.5467	52.00€
22	600	450	11.5468	58.00€
25	600	450	11.5469	65.00€
28	600	450	11.5470	69.00€
30	600	450	11.5471	73.00€
32	600	450	11.5472	86.00€
35	600	450	11.5473	94.00€
40	600	450	11.5474	112.00€



Rotary & demolition hammer accessories

SDS PLUS / SDS MAX Chisels and Pointers

ADVANTAGES

- High quality tempered steel with hardening treatment to reduce wear and increase the tool's lifespan.
- Greater power and demolition speed.
- Greater material removal performance to increase the tool's lifespan.



Auto sharpening pointer Auto sharpening chisel Spade chisel Groover

APPLICATIONS

For refurbish and restoration jobs on masonry, concrete, bricks, floor and wall tiles. Compatible with every **SDS PLUS** insertion hammer.

Model	Width	Length	Art. code	R.S.P
Auto sharpening pointer	-	280	12.561	7.00€
Auto sharpening chisel	25	280	12.562	7.00€
Auto sharpening chisel	20	250	12.623	6.00€
Spade chisel	40	250	12.398	9.00€
Groover	14	250	12.393	10.00€



Auto sharpening pointer Auto sharpening chisel Spade chisel

ADVANTAGES

- High quality tempered steel with hardening treatment to reduce wear and increase the tool's lifespan.
- Greater power and demolition speed.
- Greater material removal performance to increase the tool's lifespan.

APPLICATIONS

For refurbish and restoration jobs on masonry, concrete, bricks, floor and wall tiles. Compatible with every **SDS MAX** insertion hammer.



Brick groover Flap groover

Model	Width	Length	Art. code	R.S.P
Auto sharpening pointer	-	400	12.563	11.00€
Auto sharpening pointer	-	600	12.736	18.00€
Auto sharpening chisel	25	400	12.564	11.00
Auto sharpening chisel	25	600	12.388	17.00€
Spade chisel	50	400	12.396	16.00€
Spade chisel	80	400	12.397	20.00€
Brick groover	32	300	12.394	18.00€
Flap groover	35	380	12.395	25.00€

Adaptor SDS PLUS / SDS MAX



Chuck adaptor

	Inch	Ø (mm)	Article code	R.S.P
Chuck adaptor	1/2"	Ø 13	11.788	6.00€




Adaptor

		Article code	R.S.P
Adaptor	SDS MAX to SDS PLUS	11.4181	25.00€

Rotary & demolition hammer accessories

HEX 30 Chisels and Pointers



ADVANTAGES

- High quality tempered steel with hardening treatment to reduce wear and increase the tool's lifespan.
- Greater power and demolition speed.
- Greater material removal performance to increase the tool's lifespan.

APPLICATIONS

For refurbish and restoration jobs on masonry, concrete, bricks, floor and wall tiles. Compatible with every **HEX 30 insertion hammer**.

Material	Width	Length	Art. code	R.S.P.
Auto sharpening pointer	-	400	12.260	29.00€
Chisel	26	400	12.340	29.00€
Spade chisel	80	400	12.341	48.00€
Auto sharpening chisel	26	400	12.294	29.00€

Boring cores



ADVANTAGES

- High quality tempered steel with hardening treatment to reduce wear and increase the tool's lifespan. Great broing speed
- **Centering bit.**
- Reinforced widia teeth.

APPLICATIONS

For broing and drilling jobs on masonry, concrete, bricks, floor and wall tiles.

Compatible with every **SDS PLUS insertion hammer**.

Core	Ø (mm)	Article code	R.S.P.
SDS-PLUS	40	11.5925	24.00€
SDS-PLUS	60	11.5926	29.00€
SDS-PLUS	80	11.5927	39.00€



ADVANTAGES

- High quality tempered steel with hardening treatment to reduce wear and increase the tool's lifespan. Great broing speed
- **Centering bit.**
- Reinforced widia teeth.

APPLICATIONS

For broing and drillingn jobs on masonry, concrete, bricks, floor and wall tiles.

Compatible with every **SDS MAX insertion hammer**.

Core	Ø (mm)	Article code	R.S.P.
SDS-MAX	80	11.5928	42.00€
SDS-MAX	100	11.5929	67.00€
SDS-MAX	120	11.5930	82.00€

Core axis



Core axis	Width	Length	Article code	R.S.P.
SDS-PLUS	24	200	11.5932	14.00€
SDS-PLUS	24	330	11.5931	20.00€
SDS-MAX	120	400	11.5936	26.00€
Centering bit	8	110	11.5933	2.00€

Rotary & demolition hammer accessories

SDS-PLUS Sets



SDS-PLUS	Ø	mm	Art. code	R.S.P.
7 masonry masonry bits set	5,6,8	110	11.5757	33.00€
	6,8,10,12	160		



13 SDS-PLUS bits set	Width Ø (mm)	Length	Art. code	R.S.P.
Bits	6,8,10,12	160	11.5762	88.00€
Bits	10,12,14,16	200		
Bits	10	260		
Chisel	20	250		
Spade	50	250		
Pointer	-	250		
Groover	-	250		

SDS-PLUS Bits stand



Stand + Bits

Code. 1.1269
R.S.P: 844.00€

Ø (mm) x L	Pcs	Art. code	Unit R.S.P.	R.S.P.
5x110	10	11.5703	2.00€	20.00€
6x110	10	11.5436	2.20€	22.00€
8x110	10	11.5437	3.00€	30.00€
10x110	10	11.5438	3.50€	35.00€
6x160	10	11.5439	2.70€	27.00€
8x160	10	11.5440	3.00€	30.00€
10x160	10	11.5441	3.40€	34.00€
12x160	10	11.5442	3.70€	37.00€
10x210	6	11.5706	3.50€	21.00€
12x210	6	11.5707	4.00€	24.00€
14x210	6	11.5444	5.50€	33.00€
16x210	6	11.5445	6.50€	39.00€
10x310	6	11.5708	5.00€	30.00€
12x310	6	11.5709	5.50€	33.00€
14x310	6	11.5710	6.50€	39.00€
16x310	6	11.5711	8.00€	48.00€
18x310	6	11.5712	10.00€	60.00€
20x310	6	11.5713	12.00€	72.00€
22x310	6	11.5714	16.00€	96.00€
25x310	6	11.5715	19.00€	114.00€

* Check special offer

ACCESSORIES FOR
DRILLS

Index

	Type	Page
Construction Masonry		
Widia bits for concrete & Construction		15 - 16
Diamond bits for porcelanic		
Tungsten carbide bits for glass and tiles		
		
Metal		
Metal HSS-R laminated bits		17 - 20
Metal HSS-G rectified bits		
Metal HSS-Co cobalt rectified bits		
HSS straight step bits		
HSS-M2 spiral step bits		
Conic countersink bits		
Bimetallic cores 8% cobalt		
		
Wood		
Spiral bits (3 points)		21 - 22
Spade bits		
Salomonic bits (Lewis)		
Forstner		
Countersink bits		
		
Screwing tips		
Tips & Socket spanners		23 - 24
Impact wrench bits		
		
Chucks		
		25
Sets		
		26

Drill accessories

Masonry & concrete bits

5 bits set



ADVANTAGES

- '+' shaped head with 4 points for an increased resistance and longer lifespan.
- Nickel coating for a higher resistance with less abrasion.
- Tungsten carbide point.

Set	Ø (mm)	L(mm)	Art. code	R.S.P.
1	5	90	11.5769	8.00€
1	6	100		
1	8	110		
1	10	120		
1	12	130		

APPLICATIONS

Ceramic, masonry/concrete, bricks, Natural stone drilling.

USE

Cylindrical shank for drill use.



Bits case with tungsten carbide points



ADVANTAGES

- Tungsten carbide (widia) auto welded
- Longer lifespan
- Higher wear resistance
- reduced vibration
- Greater dust removal due to the helical grooves
- Centering point Point to increase drilling precision and to avoid the bit sliding.

APPLICATIONS

Ceramic, masonry/concrete, bricks, Natural stone drilling.

USE

Cylindrical shank for drill use.

Pcs.	Ø(mm)	L(mm)	Art. code	R.S.P.
1	4	90	12.734	11.00€
1	5	100		
1	6	110		
1	8	120		
1	10	130		

Drill accessories

Masonry bits

Vacuum brazed diamond bits for porcelanic



ADVANTAGES

- **VACUUM BRAZING** technology that improves the diamond grains retention, achieving a significant larger lifespan while increasing its heat resistance and abrasion wear
- Inner vegetal wax coating as lubricant to cool down the bit, reducing temperature, increasing its lifespan.
- Dry cut diamond bits, no water cooling needed.
- Perfect gres and porcelanic finish.

Ø.	Insertion	Code	R.S.P.
5	HEX	5.1205	15.00€
6	HEX	5.1171	16.00€
8	HEX	5.1172	17.00€
10	HEX	5.1173	18.00€

Ø.	Insertion	Code	R.S.P.
x3 set			
6-8-10	HEX	5.1182	45.00€

APPLICATIONS

Ceramic, gres, porcelanic, marble, granite drilling.

USE

Hex shank (1/4") for no impact drills

Before working it's advisable to mark the drilling zone with masking tape to avoid the bit sliding. This not amndatory as diamond drilling must be started with a 15-35 ° angle, and then drill with orbital movements. By doing this the bit wont slide and will last longer.

Gate the drill speed according to the material to be drilled to extend the drill's lifespan.

If higher precision is required, we have a suction cup drilling guide with multiple hole diameters from 4 to 12 mm.

We also offer a cooling wax + angle grinder M14 adaptor set to increase the bit lifespan, whilte the adaptor enables your drill to use M14 angle grinder diamond cores.

Suction cup drilling guide for DRILLS

FEATURES

Suction cup to attach the guide to multiple wall types.

Ceramic, Gres, Gres Porcelanic, Glass, marble, metal.

Hole metal coating for a reinforced protection.

4-5-6-7-8-10-12mm diameters.

Code. 5.1191
R.S.P.: 14.00€

Adaptor + Cooling wax

FEATURES

Angle grinder M14 vacuum brazed diamond cores adaptor to HEX for drill usage.

Vegetal cooling wax for Ø5 - 6 - 8 - 10mm bits.

Code. 5.1169
R.S.P.: 10.00€

Glass & tiles lance bit set (5 Pcs)

ADVANTAGES

- Reinforced widia point that enables a higher precision and drilling speed.
- "U" shaped groove for an improved debris extraction, avoiding clogging.
- Cylindrical shank with 2 flat faces to improve the chuck retention.

APPLICATIONS

Glass and ceramic tiles drilling.

USE

Cylindrical shank with 2 flat faces to improve the chuck retention, no impact drilling.

Ø (mm)	Point	Code	R.S.P.
Set de 5			
3 x 6mm 1 x 8mm 1 x 10mm	TCT Widia	12.711	14.00€



Drill accessories

Metal bits

RECOMMENDATIONS AND SAFETY GUIDELINES

- Use coolants when drilling metals to reduce excessive bit heating and extend its lifespan.
- Adapt your tool's speed according to the material to be drilled. The harder the material, less speed must be used.
- Use protection glasses to protect your eyes from metal debris. Use gloves, ear protection and a breathing mask.
- To perform big diameter holes it's advisable to start using a smaller bit first to improve the bigger bits performance avoiding accidental slides. The smaller bit diameter must be at least the same size than the minimum distance between the cutting edges from the bigger bit.
- When drilling on thin metal sheets, hold both sides with wood pieces to improve the grip while preventing the piece moving thus increasing the drilling quality.

10 Bits set, HSS-R, DIN 338, roll laminated, 118° tip



ADVANTAGES

- **Helical HSS bit** Made from high quality super fast steel DIN 338, **roll laminated**, right cutting, Type N, Cylindrical shank.
- **Sharppened bit tip with a 118° attack angle**, to improve the drilling quality on soft materials.
- Tensile strength **< 900 N/mm²**.
- Double spiral groove for an optimal **debris extraction**.
- High elasticity to reduce small diameter bits breaking.
- **Black oxide coating** to improve the cutting quality while increasing the bit's heat resistance.

APPLICATIONS

Specially suited to drill cast iron and steels with a hardness level up to 900 N/mm², non ferrous metals like aluminum, copper, brass, hard plastics and soft alloys.

USE

Use with a hand drill, bench drills with a 10 mm or more chuck.

Ø (mm)	Lt (mm)	Lu (mm)	Code	R.S.P.
1	34	12	12.635	17.50€
2	49	24		
3	61	33		
4	75	43		
5	86	52		
6	93	57		
7	109	69		
8	117	75		
9	125	81		
10	133	87		

10 Bits set, HSS-G, DIN 338, Rectified, 135° tip



ADVANTAGES

- **Helical HSS bit** Made from high quality super fast steel DIN 338, **rectified**, right cutting, Type N, Cylindrical shank.
- **Sharppened bit tip with a 135° attack angle**, improved drilling on hard materials increasing the drilling speed over beveled edge bits. Sharpened in accordance to DIN 1412 C.
- **Split Point** to avoid bit sliding while improving drilling quality.
- **Milled bit** for an optimal precision.
- Tensile strength **< 1000 N/mm²**.
- Double spiral groove for an optimal **debris extraction**.
- **Black oxide coating** to improve the cutting quality while increasing the bit's heat resistance.

APPLICATIONS

Specially suited to drill cast iron and steels with a hardness level up to 1000 N/mm², non ferrous metals like aluminum, copper, brass, hard plastics and medium alloys.

USE

Use with a hand drill, bench drills with a 10 mm or more chuck.

Ø (mm)	Lt (mm)	Lu (mm)	Code	R.S.P.
1	34	12	12.636	32.20€
2	49	24		
3	61	33		
4	75	43		
5	86	52		
6	93	57		
7	109	69		
8	117	75		
9	125	81		
10	133	87		



**Split point
135° attack angle
Precise and fast
drilling.**
Avoids bit sliding over
the material to be
drilled

Drill accessories

Bits para metal

19 Bits se, HSS-Co, DIN 338, Rectified with cobalt, 135° tip



ADVANTAGES

- **Helical HSS-Co** made from high quality super fast steel alloyed with **5% Cobalt**, DIN 338, rectified, right cutting, Type N, Cylindrical shank.
- **Sharpened bit tip with a 135° attack angle**, improved drilling on hard materials increasing the drilling speed over beveled edge bits. Sharpened in accordance to DIN 1412 C.
- **Split Point** to avoid bit sliding while improving drilling quality.
- **Milled bit** for an optimal precision.
- Tensile strength **< 1200 N/mm²**.
- Double spiral groove for an optimal **debris extraction**.
- **Long lifespan**: Cobalt alloy significantly improves heat and wear resistances.

APPLICATIONS

Specially suited for **stainless steel drilling, alloyed and non alloyed steels** with a tensile strength up to 1200 N/mm², grey casting and steel casting.

USE

Use with a bench drill, **not suitable for hand drills due to the bits hardness**.

Ø (mm)	Lt (mm)	Lu (mm)	Article code	R.S.P.
1	34	12	12.637	76.40€
1,5	40	18		
2	49	24		
2,5	57	30		
3	61	33		
3,5	70	39		
4	75	43		
4,5	80	47		
5	86	52		
5,5	93	57		
6	93	57		
6,5	101	63		
7	109	69		
7,5	69	69		
8	117	75		
8,5	117	75		
9	125	81		
9,5	125	81		
10	133	87		

Rectified cobalt bits



COBALTO



SPLIT POINT

Split point
135° attack angle
Precise and fast
drilling.
Avoids bit sliding
over the material to
be drilled



Pcs.	Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P.
1	1	34	12	12.638	0.90€
1	1,5	40	18	12.639	1.10€
1	2	49	24	12.640	1.20€
1	2,5	57	30	12.641	1.40€
1	3	61	33	12.642	1.60€
1	3,5	70	39	12.643	1.90€
1	4	75	43	12.644	2.10€
1	4,5	80	47	12.645	2.30€
1	5	86	52	12.646	2.60€
1	5,5	93	57	12.647	2.90€
1	6	93	57	12.648	3.90€
1	6,5	101	63	12.649	4.20€
1	7	109	69	12.650	5.30€
1	7,5	109	69	12.651	5.60€
1	8	117	75	12.652	5.80€
1	8,5	117	75	12.653	6.50€
1	9	125	81	12.654	7.50€
1	9,5	125	81	12.655	8.10€
1	10	133	87	12.656	9.30€
1	11	141	93	12.657	12.60€
1	12	149	99	12.658	14.90€
1	13	157	105	12.659	16.50€

Rectified cobalt bits - HSS M35

Bench drill special use

HSS M35 bits, 8% cobalt alloy, rectified,
Split point with a 135° attack angle,
13mm reduced shank with 3 flat faces for an
improved grip.

Pcs.	Ø (mm)	Lt (mm)	Lu (mm)	Art. code	R.S.P.
1	14	160	108	12.847	26.00€
1	15	169	114	12.848	32.00€
1	16	178	120	12.849	38.00€

Drill accessories

Straight step bits, HSS Titanium coated

3 straight bits set, HSS titanium coated.



ADVANTAGES

- **Step HSS bit** made of high speed steel, **coated with titanium nitride**.
- **3 faced shank** to avoid chuck sliding.
- **The titanium nitride** significantly increases the bit **lifespan** allowing harder steel drilling.
- **Sharpened tip to improve drilling quality** on softer materials, without previous marking needed.
- **Double grooving** for a faster and softer drilling **with an improved debris removal**.
- We advise doing a previous smaller drilling before using this bit on harder materials.

APPLICATIONS

Suited for thin metal sheet drilling, non ferrous materials, steels, copper, brass, aluminum, PVC, glassfibre & wood.
3 faced Cylindrical shaft.

USE

Use with a hand drill, bench drills with a 10 mm or more chuck.



Case included					
Ø (mm)	Nº steps	Shank	Lt (mm)	Article code	R.S.P.
4-6-8-10-12 14-16-18-20	9	3 faced shank	75	12.671	44.30€
12-13-14-15-16 17-18-19-20	9	3 faced shank	75		
6-8-10-12-14-16- 18-20-22-24- 26-28-30	13	3 faced shank	95		

Spiral step HSS-M2titanium coated bits



ADVANTAGES

- **HSS-M2 step drill bit** made of high speed steel, **coated with titanium nitride**.
- **3 faced shank** to avoid chuck sliding.
- El **Recubrimiento de nitruro** de titanio **alarga** considerablemente la **vida útil** de la broca, y permite perforar aceros de mayor dureza.
- **The titanium nitride** significantly increases the bit **lifespan** allowing harder steel drilling.
- **Sharpened tip to improve drilling quality** on softer materials, without previous marking needed.
- **Spiral grooving for an improved debris removal** reducing vibrations and increasing drilling speed.
- We advise doing a previous smaller drilling before using this bit on harder materials.

APPLICATIONS

Suited for thin metal sheet drilling, non ferrous materials, steels, copper, brass, aluminum, PVC, glassfibre & wood.
3 faced Cylindrical shaft.

USE

Use with a hand drill, bench drills with a 10 mm or more chuck.



Case included					
Pcs	Ø (mm)	Nº steps	Lt (mm)	Article code	R.S.P.
1	4-6-8-10-12 14-16-18-20	9	75	12.672	29.90€
1	6-8-10-12-14-16- 18-20-22-24-26- 28-30	13	95	12.673	60.10€

Drill accessories

Metal countersink bits

6 Countersink bits set for metal

ADVANTAGES

- Conic countersink bits DIN 335, shape C. 90° milling angle. Rectified hard metal HSS.
 - 3 flat faced Cylindrical shank to avoid chuck sliding.
 - Split point to improve precision, according to DIN 1412 C.
 - 118° cutting angle, right cutting. Optimal material removal, reducing noise, vibrations, increasing the bit lifespan.
 - Included bits: (6,3 - 8,3 - 10,4 - 12,4 - 16,5 - 20,5 mm)
- Suitable for non ferrous metals, steel, thermoplastics and hard plastics as well as metal sheets up to 5mm thickness.

APPLICATIONS

Specially designed for metal sheets drilling, up to 5mm as well as non ferrous metals, steel and alloyed steel up to 1.000 N/mm², copper, brass, aluminum, PVC, Fiberglass & wood.

USE

Use with a hand drill, bench drills with a 10 mm or more chuck.

Ø (mm)	Description	Shank (mm)	Code	R.S.P.
6,3	HSS 90°	3	12.674	53.50€
8,3	HSS 90°	4		
10,4	HSS 90°	5		
12,4	HSS 90°	6		
16,5	HSS 90°	8		
20,5	HSS 90°	10		



8% cobalt bimetallic cores

Cores with centering bit for plumbing and electricism

ADVANTAGES

- Bimetallic saw cores with a 8% cobalt. This alloy increases the teeth resistance on harder materials, increasing the core lifespan. Allowing for long drilling sessions without teeth wearing out.
- Variable teeth alignment between 4 & 6 TPI (Teeth per inch), to ease the drilling.
- **Arbor and centering bit sold separately.**
- For great diameter hole boring. From 20 up to 76 mm. 38 mm cutting depth.

Pcs	Ø (mm)	Code	R.S.P.
1	20	12.720	9.50€
1	22	12.721	9.80€
1	25	12.722	10.50€
1	32	12.723	11.50€
1	35	12.724	12.50€
1	40	12.725	14.20€
1	51	12.726	15.80€
1	60	12.727	18.40€
1	64	12.728	19.40€
1	76	12.729	26.10€
1	102	12.851	34.50€
1	121	12.852	41.00€
1	152	12.853	51.00€

USE

Use with a hand drill, bench drills once the core is attached to an arbor.

APPLICATIONS

Suitable for stainless steel drilling, steel and alloyed steel, cast metals, wood, plywood, plastics, drywall.



Arbors with spring and centering bit, HSS M2 high quality for bimetallic Cores.
Hex 3/8" insertion suitable for all chucks.

Spare centering bit HSS M2.

Ø (mm)	Code	R.S.P.
6.35 x 75	12.733	4.80€

Cores Ø (mm)	Article code	R.S.P.
14 - 30	Arbor & bit	12.730 11.20€
32 - 210	Arbor & bit	12.731 22.50€
14 - 30	SDS-PLUS	12.854 11.50€
32 - 210	SDS-PLUS	12.855 22.50€



Drill accessories

Wood drill bits

Spiral bits

ADVANTAGES

- 3 points HSS spiral bits.
- Centering point with scaled cutter, for an improved cutting precision and drilling speed.
- Double spiral for an improved shavings removal.

APPLICATIONS

Suitable for all types of wood drilling.

USE

Use a hand drill. Cylindrical shank



Set	Ø (mm)	Lt (mm)	Insertion mm	Code. art	R.S.P.
5	4-5-6-8-10	75-152	47-102	12.760	5.00€

*Case included

Pcs	Ø (mm)	Lt (mm)	Insertion mm	Article code	R.S.P.
1	3	60	32	12.749	0.70€
1	4	75	47	12.750	0.80€
1	5	85	52	12.751	0.90€
1	6	93	58	12.752	1.00€
1	7	109	71	12.753	1.10€
1	8	117	77	12.754	1.30€
1	9	125	83	12.755	1.40€
1	10	133	90	12.756	1.50€
1	11	140	92	12.757	2.10€
1	12	152	102	12.758	2.30€
1	13	152	102	12.759	2.80€

Spade bits

ADVANTAGES

- Flat spade bits made of reinforced carbon steel, for large diameter wood drilling.
- Centering point with double balde for an improved precision and cutting speed.
- Grooved edge to improve material removal while increasing the cutting speed.
- Diameters from 14 mm up to 32 mm.

APPLICATIONS

Suitable for all types of wood drilling.

USE

Use a hand drill or bench drill. Hex shank



Set	Ø (mm)	Lt (mm)	Insertion mm	Code. art	R.S.P.
6	16-18-20-22-25-32	152	6.35	12.748	20.00€

Pcs	Ø (mm)	Lt (mm)	Insertion (mm) HEX	Article code	R.S.P.
1	14	152	6.35	12.737	2.60€
1	16	152	6.35	12.738	2.70€
1	18	152	6.35	12.739	3.00€
1	20	152	6.35	12.740	3.30€
1	22	152	6.35	12.741	3.50€
1	24	152	6.35	12.742	3.80€
1	25	152	6.35	12.743	3.90€
1	26	152	6.35	12.744	4.20€
1	28	152	6.35	12.745	4.40€
1	30	152	6.35	12.746	4.50€
1	32	152	6.35	12.747	4.60€

Salomonic bits (Lewis)

ADVANTAGES

- Hardened carbon steel bits, with centering tip and spiral groove.
- Specially designed for fast and precise deep through holes drilling.
- The bit spiral groove allows for an optimal sawdust extraction, greatly increasing the drilling speed.
- Auto drilling tip that significantly increases drilling on harder wood.
- Cutting blade placed from the tip to the spiral groove for clean and precise cuts.

APPLICATIONS

Suitable for all types of wood on woodworking and construction jobs.

USE

Hex shank for manual drills with a 13 mm chuck.



Pcs	Ø (mm)	Lt (mm)	Lu (mm)	Article code	R.S.P.
1	8	230	160	12.703	3.90€
1	10	230	160	12.704	4.70€
1	12	230	160	12.705	6.00€
1	14	230	160	12.706	6.30€
1	16	230	160	12.707	7.60€
1	18	230	160	12.708	8.50€
1	20	230	160	12.709	10.40€



Drill accessories

Hard metal Forstner bit for wood

ADVANTAGES

- Forstner bit with tungsten carbide teeth (widia).
- Great cutting speed and lifespan.
- Double cutting blade, centering point and two external cutting teeth for an optimal drilling on hard wood.




APPLICATIONS

Suitable for door hinge fitting.

USE

Cylindrical shaft for drills, bench drills and routers.

Pcs.	mm	Ø (mm)	Code	R.S.P.
1	35	9	12.710	9.90€



Wood countersink bits

ADVANTAGES

- HSS 3 Point spiral bits with centering tip and scaled blade for a precise and fast cut. Double spiral groove to improve sawdust removal.
- The countersink may be used as a depth regulator.
- Allows 6 - 8 & 10 mm countersinking.

APPLICATIONS

Suitable for drilling and countersinking on all types of wood.

USE

Cylindrical shaft for manual drill.



Set	Ø (mm)	Code	R.S.P.
3	6, 8, 10	12.735	11.00€



Drill accessories

Screwdriver tips

40 Pcs set (Points & socket spanner)



Pcs	Length	Model	Article code	R.S.P.
7	50	1xPH1 / 2xPH2 / 1xPH3 / 1xPZ1 / 2xPZ2	12.667	42.00€
28	25	1xPH1 / 2xPH2 / 1xPH3 1xPZ1 / 2xPZ2 / 1xPZ3 1xT10 / 1xT15 / 2xT20 / 2xT25 / 1xT30 / 1xT35 / 1xT40 1xH3 / 1xH4 / 1xH5 / 1xH6 1xSL3 / 1xSL4 / 1xSL5 / 1xSL6 1xS1 / 1xS2		
		(Socket spanner) 6 / 8 / 10		
		1xPH2		
		1 Adaptor		
3	65	(Socket spanner) 6 / 8 / 10		
1	70	1xPH2		



x1 Adaptor
STAYER





Hardened impact screwing bits - 24 Pcs set



Pcs	Length	Model	Code	R.S.P.
5	90	3xPH2 / 2xPZ2	12.668	46.00€
7	50	1xPH1 / 3xPH2 2xPZ2 / 1xPZ3		
7	25	1xPH1 / 2xPH2 / 1xPH3 1xPZ1 / 1xPZ2 / 1xPZ3		
3	48	(Socket spanner) 6 / 8 / 10		
1	60	Adaptor		
1		Quick change adaptor		

ADVANTAGES

- Hardened carbon steel bits for an improved friction and impact resistance.
- Specially designed for **Impact screwdrivers**.
- Magnetic quick adaptor included.



Drill accessories

Screwdriver bits

Bit set (Quick change adaptor) - 32 Pcs



Pcs	mm	Model	Article code	R.S.P.
30	25	1xPH1/ 2xPH2 / 1PH3 1xPZ1 / 2xPZ2 / 1xPZ3 1x SL3 / 1xSL4 / 1xSL5 / 1xSL6 Hex 1x 3 / 1x 4 / 1x5 / 1x6 2xT10 / 2xT15 / 2xT20 / 2xT25 / 2xT27 / 2xT30 / 2xT40	1.1064	21.00€
1	25	Adaptor		
1		Quick change adaptor		


Bits & Socket spanner, Quick change adaptor - 28 Pcs set



Pcs	Length	Model	Article code	R.S.P.
20	25	1xPH1 / 2xPH2 / 1xPH3 1xPZ1 / 2xPZ2 / 1xPZ3 1xH3 / 1xH4 / 1xH5 1xSL3 / 1xSL4 / 1xSL5 / 1xSL6 1xT10 / 1xT15 / 2xT20 / 2xT25 / 1xT27	12.669	24.00€
6	(Socket spanner)	5 / 6 / 8 / 10 / 12 / 13		
1		Adaptor		
1		Quick change adaptor		



25 mm



Adaptor



3 adaptor set to use socket spanners with drills and screwdrivers.



From	A	Code	R.S.P.
1/4"	1/4"		
	1/2"		
	3/8"		
	with bearings	12.670	6.50€

Drill accessories

Flexible shaft



Code 12.590
R.S.P.: 5.00€

70 Bits & tips set



70 Pcs set		Article code	R.S.P.
10 Bits - concrete	Ø 3,4,7,10 (x1) Ø 5,6,8 (x2)	1.1041	50.00€
6 Bits - titanium steel	Ø 2,3,4,5,6,8		
6 Bits - Wood	Ø 3,4,5,6,8,10		
30 Screwdriving bits	25		
10 Screwdriving bits	50		
Magnetic bit holder	60		
Countersink bit	Ø 12.5		
2 Screw pincers			
3 Nut keys	Ø 6,7,8		
Gauge			

Chucks



Zipper chuck
Ø 13 mm - 1/2" x 20

Code 12.37
R.S.P.: 12.00€



Automatic chuck
Ø 6 mm - 1/2" x 20
TM 6 BA

Code 5014.235
R.S.P.: 12.00€



Automatic chuck
Ø 13 mm - 1/2" x 20
TM 710 BA

Code 12.508
R.S.P.: 18.00€



Safety lock metal chuck
Ø 13 mm - 1/2" x 20
TM 950 A

Code 12.536
R.S.P.: 49.00€



Automatic chuck
Ø 10 mm - 3/8" x 24
TM 10 DA

Code 8110.1559
R.S.P.: 17.50€



Zipper chuck
Ø 16 mm - 5/8" x 16

Code 220.98
R.S.P.: 24.00€



Safety lock metal chuck
Ø 13 mm - 1/2" x 20
TM 750 BA / TM 851 A

Code 12.26
R.S.P.: 21.00€



Universal drill mount
-Neck 43 mm.
-Max length 68 mm.
-Tiltable 0-90°
-Weight 6.5 Kg
SG 43 B

Code 12.517
R.S.P.: 71.00€

Drill accessories

Car set

Triple kit for car restoration to be used with a drill.



Lamp restoration

- Easy and fast scratch removal with great transparency recovery with sanding sheets P 800, 1200, 1500 & 2000.
- Finished with a special paste applied with sponge and rubber plate.
- Increases lamp sharpness for an increased driving security, significantly reducing fatigue.



Wheel tire restoration

- Conceals scratches using a polishing paste applied by sponge and rubber plate. Suitable for all types of wheel tires.



Bodywork restoration

- Conceals bodywork scratches no matter the car's color.
- Thanks to the restoration paste applied by sponge the bodywork recovers a brand new look.



Includes



Self adhering plate
shaft $\varnothing 6$ mm
Diameter $\varnothing 75$ mm



Wool pad
for rubber plate



Sponge
for rubber plate



Sponge



x3 self adhering sanding
discs for bodywork
P240 / P360 P600



x4 self adhering sanding
discs for lamps
P800 / P1200 / P1500 /
P2000



Microfiber cloth

Electric or cordless drill required.

Carefully read the user instructions, follow every step thoroughly with the suitable accessories.

12-14-18V cordless drill specially recommended

Code:1.1923
R.S.P.: 22.00€

A person wearing a dark green t-shirt and yellow leather work gloves is using a red and black die grinder to work on a metal rod. The die grinder has a textured black handle and a red trigger. The person is holding the tool with both hands, and the metal rod is positioned horizontally. The background is dark and out of focus.

ACCESSORIES FOR
**DIE GRINDERS
& DRILLS**

Die grinder & drill accessories

Hard metal burrs

3 Pcs Metal burrs



3 **hard metal burrs** for die grinders and drills (Mx according to DIN 8033)

- Cylindrical burr
- Ball burr
- Ovoid burr

ø6mm shank.

Cross serrated surface (double edge).


Roughing and **metal chips removal**, edges, **welding cords roughing**, casting, tempered steel, hard plastics, Nickel alloys & titanium.

Ø x Lu (mm)	Shank Ø (mm)	Lt (mm)	Code	R.S.P.
12x25	6	70	1.2365	51.00€
12x10.8	6	55		
12x25	6	70		

Cylindrical burr

Ovoid burr

Ball burr



5 Pcs Metal burrs



5 **hard metal burrs** for die grinders and drills (Mx according to DIN 8033)

- Front cylindrical burr
- RoPcs cylindrical burr
- Ball burr
- Ovoid burr
- Conic burr

ø6mm shank.

Cross serrated surface (double edge).

Roughing and **metal chips removal**, edges, **welding cords roughing**, casting, tempered steel, hard plastics, Nickel alloys & titanium.

5 Pcs set

Ø x Lu (mm)	Shank Ø (mm)	Lt (mm)	Article code	R.S.P.
12x25	6	70	1.2364	89.00€
12x25	6	70		
12x25	6	70		
12x25	6	70		
12x10.8	6	55		

Front cylindrical burr

Ball burr

Ovoid burr



D = ø12 mm d = ø6 mm
L = 70 mm l = 25 mm

D = ø12 mm d = ø6 mm
L = 55 mm l = 10.8 mm

D = ø12 mm d = ø6 mm
L = 70 mm l = 25 mm

RoPcs cylindrical burr

Conic burr



D = ø12 mm d = ø6 mm
L = 70 mm l = 25 mm

D = ø12 mm d = ø6 mm
L = 70 mm l = 25 mm

Die grinder & drill accessories

Flap wheels



Abrasive flap wheels made of high quality corPcsum.

Great flexibility to adapt to every surface.

Welding cords roughing & polishing, cut burrs on pipes and profiles.

Suitable for inox, aluminum, wood, plastics and medium hardness and abrasive stone.

Each wheel contains 80 flaps and a ø6 mm shank.

Available on 2 sizes & 3 grains.



mm	Ø	Gr.	Max. RPM	Pcs	Article code	Unit R.S.P.
60x30	6	60	25.000	10	12.617	5.00€
60x30	6	80	25.000	10	12.618	5.00€
60x30	6	120	25.000	10	12.619	5.00€

mm	Ø	Gr.	Max. RPM	Pcs	Article code	Unit R.S.P.
40x20	6	60	25.000	10	12.614	2.50€
40x20	6	80	25.000	10	12.615	2.50€
40x20	6	120	25.000	10	12.616	2.50€

Pedido minimo 100 abanicos (10 box)



Brass brushes

3 pcs brush set




Ø (mm)	Code	R.S.P.
Ø63x6	1.2368	12.00€
Ø12		
Ø63		

Pink corPcsum mounted points

5 pcs corPcsum mounted points set



For **rectifying, polishing & all types of metal roughing.**



Head x use Length x total Length
Shank diameter x Grain



D x Lu x Lt mm	Ø shank	K grain	Code	R.S.P.
16x32x40	6	46	1.2367	7.00€
25x25x40	6	36		
20x32x40	6	36		
25x25x40	6	36		
16x32x40	6	46		

Die grinder & drill accessories

Vacuuming carter for angle grinders

Vacuuming carter for angle grinders



Vacuuming carter for construction tasks.

Includes double washer guide 11mm thick

Angle grinder neck Ø 39 - 52mm, using washers.

- Fixing key with long plugs, for disc holding washer.
- Washer guide, Ø for 14 mm axis, with a 11 mm thickness.
- Complementary washer, Ø for 16 mm axis, for washer guide with a 4 mm thickness.
- Locking handle for carter racor.
- Open washers for the angle grinder neck with the following specifications:
1.62 mm (metal washer).
3 mm (plastic washer).
4.5 mm (plastic washer). For Stayer tools
5.5 mm (plastic washer).

Code:12.465
R.S.P.: 35.00€

MINI Angle grinder cutting without VACUUMING CARTER



Axis 14:
SAB801C, SAB901C, SAB1011B, SAB1051PS, SAB1201IND,
SAB1351C, SAB1601.

Axis 16:
SAB1301

MINI Angle grinder cutting with VACUUMING CARTER



Roughing vacuuming carter



Vacuuming carter for construction tasks.

Includes double washer guide 11mm thick

Angle grinder neck Ø 39 - 52mm, using washers.

- Curved fixing key with long plugs, for disc holding washer.
- Washer guide, Ø for 14 mm axis, with a 11 mm thickness.
- Open washers for the angle grinder neck with the following specifications:
1.62 mm (metal washer).
3 mm (plastic washer).
4.5 mm (plastic washer). For Stayer tools
5.5 mm (plastic washer).

Code.:12.459
R.S.P.: 40.00€

Quick tightening nut



Compatible with every M14 brand
One click lock of M14 accessories
Diameter Ø 50mm.




Code.:11.4624
R.S.P.: 19.00€



ABRASIVE
SANDING SHEETS

INDEX

Sandsheet type	Diameters (mm)	Grains	Materials	Page
Sanding discs	Ø125 - Ø150 Ø180 - Ø225	40-60-80-100 120-220-240	Aluminum oxide Silicon carbide	33-34
Mesh sanding discs	Ø150 - Ø225	60-80-120 180-240	Mesh Aluminum oxide	35
Delta sanding sheets	80x140x140 100x150x150 93x93x93	40-60 80-120	Aluminum oxide White corPcsum Brown corPcsum	37
Rectangular sanding sheets	85x135 115x230 85x260 90x225	40-60 80-120	Aluminum oxide White corPcsum Brown corPcsum	38
Inox sanding sheets	40x760	60-80 100-120	Aluminum oxide White corPcsum Brown corPcsum	36
Belt sanding sheets	75x533 100x610 100x690	40-60-80 100-120-150	Aluminum oxide White corPcsum Brown corPcsum	36
Abrasive rolls Drum sander	105x100x19	Fine Coarse	Aluminum oxide White corPcsum Brown corPcsum	40
Sanding rolls		Paper Cloth	Aluminum oxide White corPcsum Brown corPcsum	39
Abrasive blocks & sponges	100x70x25 120x100x12	Super Fine Fine Medium Coarse		41
Sanding sheets	230 x 280	60-80-120-180 220-280-360-500 800-2000		39
Polisher accessories Sponges Wool pad Plates				43
Bench grinder Grinding wheel Belt sanding sheets Metal brush	150x16x12.7 200x20x16 150x20x12.7 200x40x20	36-60-80		42



Abrasive sanding sheets

In STAYER, we provide solutions of any kind of abrasive products needed in carpentry, woodworking, construction, bodyworking and industry.

That is why we offer different abrasive compositions suitable for different materials. Using aluminum oxide, white and brown corundum, silicon carbide, ceramic grain and zirconium.

We offer a wide array of sanding methods, from hand sanding, delta sanders, orbital & rotorbilar as well as wall sanders. We also have mesh sanding sheets that significantly reduce dust generation to protect the user's health.

Disc 115



Model	Pcs	Ø (mm)	Grain	Holes	Code	R.S.P.
-	5	Ø 115	40	8	12.822	3.70€*
	5	Ø 115	60	8	12.823	3.70€*
	5	Ø 115	80	8	12.824	3.70€*
	5	Ø 115	120	8	12.825	3.70€*
	5	Ø 115	180	8	12.826	3.70€*



Disc 125



Model	Pcs	Ø (mm)	Grain	Holes	Code	R.S.P.
LOM L20 RO125 LR125C	5	Ø 125	40	8	12.677	4.00€
	5	Ø 125	60	8	12.678	4.00€
	5	Ø 125	80	8	12.679	4.00€
	5	Ø 125	120	8	12.680	4.00€
	5	Ø 125	180	8	12.827	4.00€*
	10 Mixed	Ø 125	2x40 - 3x60 3x80 - 2x120	8	12.676	7.00€



Disc 150



Model	Pcs	Ø (mm)	Grain	Holes	Code	R.S.P.
RO150 RO752	5	Ø 150	40	6	12.828	5.50€*
	5	Ø 150	60	6	12.829	5.50€*
	5	Ø 150	80	6	12.830	5.50€*
	5	Ø 150	120	6	12.831	5.50€*
	5	Ø 150	180	6	12.832	5.50€*
	10 Mixed	Ø 150	2x40 - 3x60 3x80 - 2x120	6	12.681	10.00€



Model	Pcs	Ø (mm)	Grain	Holes	Code	R.S.P.
RO5 brushless	5	Ø 150	40	15	12.609	6.00€
	5	Ø 150	60	15	12.610	6.00€
	5	Ø 150	80	15	12.611	6.00€
	5	Ø 150	120	15	12.612	6.00€
	5	Ø 150	240	15	12.613	6.00€



* Check availability

Abrasive sanding sheets

Disc 180



Model	Pcs	Ø (mm)	Grain	Code	R.S.P.
HP750BE LU260C	5	Ø 180	24	special gotele	12.471 9.00€
	5	Ø180	40		12.833 7.00€*
	5	Ø 180	60		12.834 7.00€
	5	Ø 180	80		12.835 7.00€*
	5	Ø 180	100		12.473 7.00€
	5	Ø 180	120		12.843 7.00€*
	5	Ø 180	220		12.474 7.00€
	5	Ø 180	Mixed (1x24,2x60, 1x100, 1x240)	12.451	6.50€



Disc 225



Model	Pcs	Ø (mm)	Grain	Code	R.S.P.
HP1010 LP710E LP1000 LP700	5	Ø 225	24	special goteleé	12.470 11.00€
	5	Ø 225	40		12.836 8.00€*
	5	Ø 225	60		12.467 8.00€
	5	Ø 225	80		12.837 8.00€*
	5	Ø 225	100		12.468 8.00€
	5	Ø 225	120		12.838 8.00€*
	5	Ø 225	220		12.469 8.00€
	5	Ø225	Mixed (1x24,2x6, 1x100, 1x240)	220.163	7.50€



* Check availability

Abrasive sanding sheets

Ceramic grain mesh sanding discs.

Compatible with any disc sander thanks to its multiple holes that provide an optimal dust extraction.

Up to **4 times longer lifespan** over regular sanding discs.

Significantly **less dust** production than regular sanding discs, **less harmful for the user's health**.

Specially suited for **wall sanding** because they don't clog, and **bodywork**, thanks to its **perfect finish**.

150 Mesh discs




Model	Pcs	Ø (mm)	Grain		Code	R.S.P
RO150 RO752 RO 5 Brushless	5	Ø150	40	Mesh	12.844	11.00€*
	5	Ø 150	60	Mesh	12.682	11.00€
	5	Ø 150	80	Mesh	12.683	11.00€
	5	Ø 150	120	Mesh	12.684	11.00€
	5	Ø 150	180	Mesh	12.685	11.00€
	5	Ø 150	240	Mesh	12.686	11.00€



225 Mesh discs



Model	Pcs	Ø (mm)	Grain		Code	R.S.P
HP1010 LP700 LP710E LP710DT LP1000	5	Ø225	40	Mesh	12.845	15.00€*
	5	Ø 225	60	Mesh	12.839	15.00€*
	5	Ø 225	80	Mesh	12.687	15.00€
	5	Ø 225	120	Mesh	12.688	15.00€
	5	Ø 225	180	Mesh	12.689	15.00€



* Check availability

Abrasive sanding sheets

Belt sanding sheets for belt sanders

Belt sanding sheets

Overlapping belt



Pcs	Ø (mm)	Grain	Code	R.S.P
3	75x457	40	12.804	6.00€*
3	75x457	60	12.805	6.00€*
3	75x457	80	12.806	6.00€*
3	75x457	120	12.807	6.00€*

Pcs	Ø (mm)	Grain	Code	R.S.P
3	75x533	40	12.269	6.50€
3	75x533	60	12.270	6.50€
3	75x533	80	12.271	6.50€
3	75x533	120	12.808	6.50€
3	75x533	150	12.273	6.50€

Pcs	Ø (mm)	Grain	Code	R.S.P
3	100x610	40	12.274	7.00€
3	100x610	60	12.275	7.00€
3	100x610	80	12.276	7.00€
3	100x610	100	12.277	7.00€
3	100x610	150	12.278	7.00€

Pcs	Ø (mm)	Grain	Code	R.S.P
3	100x690	gr. 40	12.840	8.00€*
3	100x690	gr. 60	12.841	8.00€*
3	100x690	gr. 80	12.843	8.00€*
3	100x690	gr. 120	12.809	8.00€*

Pipe snader belt sanding sheets, for stainless steel



Model	Pcs	Ø (mm)	Grain	Code	R.S.P
LT1401EK	10	40x760	40 inox	12.846	33.00€*
	10	40x760	60 inox	12.511	33.00€
	10	40x760	80 inox	12.512	33.00€
	10	40x760	100 inox	12.513	33.00€



* Check availability

Abrasive sanding sheets

Delta sanding sheets for delta sanders




Model	Pcs	Ø (mm)	Grain	Code	R.S.P
LD141	10	80x140x140	40x2 - 60x3 - 80x3 - 120x2	12.446	7.00€



Splittable sheets for a complete use.

Model	Pcs	Ø (mm)	Grain	Code	R.S.P
Delta 150	10	100x150x150	40x2 - 60x3 - 80x3 - 120x2	12.675	8.00€
	5	100x150x150	40	12.818	8.00€*
	5	100x150x150	60	12.819	8.00€*
	5	100x150x150	80	12.820	8.00€*
	5	100x150x150	120	12.821	8.00€*

- Specially designed to be attached to a delta plate to sand woods & plastics.
- Delta shape allows for corners and edge sanding.
- Compatible with MULTITOOL PRO300, MULTI L20 & MULTI L18 from STAYER .



Model	Pcs	Ø (mm)	Grain	Code	R.S.P
Oscillating multi tool	10	93x93x93	40x2 - 60x3 - 80x3 - 120x2	12.556	6.00€
	5	93x93x93	60	12.814	3.00€*
	5	93x93x93	80	12.815	3.00€*
	5	93x93x93	120	12.816	3.00€*
	5	93x93x93	180	12.817	3.00€*




Model	Pcs	Ø (mm)	Grain	Code	R.S.P
-	5	95x135	60	12.810	6.00€*
	5	95x135	80	12.811	6.00€*
	5	95x135	120	12.812	6.00€*
	5	95x135	180	12.813	6.00€*

* Check availability

Abrasive sanding sheets

Rectangular sanding sheets



Model	Pcs	Ø (mm)	Grain	Code	R.S.P
-------	-----	--------	-------	------	-------

Sanding sheets

LOM 185 LOM180 LH 187 C LH 191	10	93 x 186	40x2 - 60x2 - 80x2 - 120x2 - 150x2	12.133	6.00€
	10	93 x 186	40	12.127	6.00€*
	10	93 x 186	60	12.128	6.00€*
	10	93 x 186	80	12.129	6.00€*
	10	93 x 186	100	12.130	6.00€*
	10	93 x 186	150	12.131	6.00€*
	10	93 x 186	180	12.132	6.00€*

Model	Pcs	Ø (mm)	Grain	Code	R.S.P
-------	-----	--------	-------	------	-------

Sanding sheets

LOM 230 LH227E	10	115x230	40x2 - 60x3 - 80x3 -120x2	12.696	7.00€
-------------------	----	---------	------------------------------	--------	-------

Model	Pcs	Ø (mm)	Grain	Code	R.S.P
-------	-----	--------	-------	------	-------

Rectangular sanding sheets

LOM 130 PD LOM 1303P	10	85x135	40x2 - 60x3 - 80x3 - 120x2	12.690	5.00€
-------------------------	----	--------	-------------------------------	--------	-------

Double face sanding sheets

LOM 130 PD LOM 1303P	10	85x260	40x2 - 60x3 - 80x3 - 120x2	12.692	6.00€
-------------------------	----	--------	-------------------------------	--------	-------

Delta sanding sheets

LOM 130 PD LOM 1303P	10	90x225	40x2 - 60x3 - 80x3 - 120x2	12.694	7.00€
-------------------------	----	--------	-------------------------------	--------	-------

* Check availability

Abrasive sanding sheets

Paper sanding sheets (Wood)



Quartz sand

Pcs. per box 	Ø (mm)	Grain	Article code	R.S.P unitario
50	230x280	80	12.771	0.30€
50	230x280	120	12.772	0.30€
50	230x280	180	12.773	0.30€

 Minimum order 50 sheets (1 box)

Cloth sanding sheets (metal)



Óxido de alumínio.
Esmeriladora.

Pcs. per box 	Ø (mm)	Grain	Article code	R.S.P unitario
50	230x280	60	12.774	0.70€
50	230x280	80	12.775	0.70€
50	230x280	120	12.776	0.70€
50	230x280	180	12.777	0.70€

 Minimum order 50 sheets (1 box)

Water sanding sheets



Kraft paper.
Silicon carbide.
CP34 water
sanding sheets

Pcs. per box 	Ø (mm)	Grain	Article code	R.S.P unitario
50	230x280	220	12.778	0.60€
50	230x280	280	12.779	0.60€
50	230x280	360	12.780	0.60€
50	230x280	500	12.781	0.60€
50	230x280	800	12.782	0.60€
50	230x280	2000	12.783	0.60€

 Minimum order 50 sheets (1 box)

Paper sanding roll



Grain	Length	Width (mm)	Article code	R.S.P
60	5 M	115	12.796	5.00€
80	5 M	115	12.797	5.00€
120	5 M	115	12.798	5.00€
180	5 M	115	12.799	5.00€
60	25 M	115	12.800	20.00€
80	25 M	115	12.801	20.00€
120	25 M	115	12.802	20.00€
180	25 M	115	12.803	20.00€

Cloth sanding roll



Grain	Length (M)	Width (mm)	Article code	R.S.P
60	5 M	115	12.792	9.00€
80	5 M	115	12.793	9.00€
120	5 M	115	12.794	9.00€
180	5 M	115	12.795	9.00€

* Check availability

Abrasive sanding sheets

Abrasive roll for drum sander



Optimal material removal.
Provides an uniform finish.
Use with adjustable speed drum sanders.
Long lifespan rolls.
Sands and polishes at the same time

Model	Grain	Size	Pcs. set	Code	R.S.P
LS1200	Fine	105x100x19	1	8180.150	23.00€
LS1200	Coarse	105x100x19	1	8180.151	23.00€

Mixed flaps



Model	Grain	Size	Pcs. set	Code	R.S.P
LS1200	Fine	105x100x19	1	8180.152	27.00€
LS1200	Coarse	105x100x19	1	8180.153	27.00€

Abrasive sponges



High density corPcs
sum sponges
Flexible, washable & reusable.
For wood, plaster, glass, metal,
porcelanic and paint.
For curved and edge surfaces.

Pcs	Ø (mm)	Grain	Code.	R.S.P
3	120x100x12	Medium	12.701	2.50€
3	120x100x12	Fine	12.702	2.50€
1	120x100x12	Medium	12.785	1.00€
1	120x100x12	Fine	12.786	1.00€

* Check availability



Abrasive sanding sheets

Abrasive blocks

High density corPcsum abrasive blocks
Stiff, washable & reusable.
For wood, plaster, glass, metal, porcelanic and paint.



Pcs	Ø (mm)	Grain	Code.	R.S.P
5	100x70x25	Coarse	12.697	4.00€
5	100x70x25	Medium	12.698	4.00€
5	100x70x25	Fine	12.699	4.00€
Mixed 5	100x70x25	2x Coarse 1x Medium 1x Fine 1x Super Fine	12.700	4.00€
1	100x70x25	Coarse	12.787	1.00€
1	100x70x25	Medium	12.788	1.00€
1	100x70x25	Fine	12.789	1.00€



Angled abrasive block



Pcs	Ø (mm)	Grain	Code.	R.S.P
1	90x122x25	Fine	12.791	1.50€
1	90x122x25	Medium	12.790	1.50€

Hand sanding cork support



Cork block for hand sanding

Pcs	Ø (mm)	Code.	R.S.P
1	110x65x30	12.784	2.50€

* Check availability

Abrasive sanding sheets

Grinding wheels for bench grinder



Pcs	Ø (mm)	Grain	Tool	Use	Code	R.S.P
1	150X16X12,7	36	E150B	roughing / grinding	8110.371	10.00€
1	150X16X12,7	60	E150B	sharpen / tuning	8110.370	10.00€
1	200x20x16	36	E200B	roughing / grinding	8110.184	22.00€
1	200x20x16	60	E200B	sharpen / tuning	8110.139	22.00€
1	150x20x12,7	36	ECP150B	roughing / grinding	8110.364	11.00€
1	200x40x20	80	ECA150B	sharpen / tuning	4104.1300	20.00€

Belt sanding sheet

Belt sanding sheet for combined bench grinder



Model	Pcs	Ø (mm)	Grain	Code	R.S.P
ECL150B	5	50x686	gr. 80	8110.369	11.00€

Brass brush



Ø (mm)	Size	Code	R.S.P
Ø150	150x20	5025.147	18.00€

Polisher accessories

Plate

Self adhering rubber plate for angle grinder and drill



- Double insertion
- M14 for angle grinder
- Cylindrical shaft for drill

Model	Ø (mm)	Code	R.S.P
LU260CE PL2500E (Drill / angle grinder)	Ø115	12.770	13.00€
	Ø125	12.767	15.00€

Model	Ø (mm)	Code	R.S.P
LU260CE PL2500E	Ø150	12.509	18.00€
	Ø180	12.426	23.00€

Nylon plate



Model	Ø (mm)	Code	R.S.P
LU260 CE PL 2500 E	170	12.28	18.00€

Self adhering wool pads



Model	Ø (mm)	Code	R.S.P
LU260CE PL2500E	Ø125	12.764	10.00€
	Ø150	12.539	13.00€
	Ø180	11.5527	16.00€
	Ø180 (with rope)	12.87	14.00€



Sponge



Model	Ø (mm)	Code	R.S.P
LU260CE PL2500E	Ø150	12.88	16.00€

Polisher accessories

Self adhering plate




Model	Ø (mm)	Holes	Code	R.S.P
LR125C	Ø125	8	8110.2595	8.45€
RO125	Ø125	8	8142.1250	11.55€
LOM L20	Ø125	8	8293.144	8.50€

Model	Ø (mm)	Holes	Code	R.S.P
RO5 Brushless	Ø150	15	8197.309	30.71€
RO752E RO 150	Ø150	6	8110.646	11.46€

Model	Ø (mm)	Holes	Code	R.S.P
HP750BE	Ø180	8	8252.182	16.00€

Model	Ø (mm)	Code	R.S.P
LP700	Ø225	8252.92	21.00€
LP710 HP1010	Ø225	8197.237	17.85€

Self adhering Double face plate




Model	Ø (mm)	Code	R.S.P
LOM130PD LOM 130 3P	200 x 85	12.266	10.50€

Self adhering Double face delta plate



Model	Ø (mm)	Code	R.S.P
LOM130PD LOM 130 3P	225 x 89	12.267	12.50€

Self adhering Rectangular plate



Model	Ø (mm)	Code	R.S.P
LOM130PD LOM 130 3P	185 x 85	12.265* 8110.3274	12.50€

* rubber plate - non adhering



SAW
BLADES

200MC

STAYER

Saw blades

Reciprocating saw


Wood & pruning (3 blades set - 240mm)

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
ST240WF  	3	HCS. Rectified, side-set teeth. Fast cutting.	Wood <190mm Plywood Plastic Branches	240x19x1.5	12.629	14.00€



Wood & Drywall

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
ST150WI   	3	HCS. Rectified, side-set teeth. Fine precision cut.	Wood (<100mm). MDF (<100 mm). Boards. Chipboard. Plywoods. PVC (<100 mm).	150x19x1.25	12.762	11.00€



Saw blades


Reciprocating saw

Wood (3 combined blades set)

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
ST240WF  	1	HCS. Rectified, side-set teeth. Fast cutting.	Wood. <190mm Plywood. Plastic. Branches.	240x19x1.5		
ST200WC  	1	HCS. Rectified, side-set teeth Progressive. Fine precision cut	Wood pannels (<175 mm). Construction wood(6-150 mm). Plywood. Chipboard. MDF (6-60 mm). PVC (6-150 mm).	200x19x1.25	12.632	18.00€
ST150WI   	1	HCS. Rectified, side-set teeth. Fine precision cut.	Wood (<100mm). MDF (<100 mm). Boards. Chipboard. Plywoods. PVC (<100 mm).	150x19x1.25		



Includes adaptative fitting saw case



Saw blades

Reciprocating saw

Metal (3 combined blades set)

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
ST1200MF  	1	BIM. Double sided milled teeth. Fast cutting & long lifespan de la sierra.	Thin metal sheets & thick (1-8 mm), Strong profiles (<100 mm)	150x19x0.9		
ST1300XF  	1	BIM. Double sided milled teeth. Fast cutting & flexible .	Thick metal sheets (3-8 mm). Profiles/pipes (<175mm).	225x19x0.9	12.631	22.00€
ST1000MT 	1	BIM. Wave milled teeth. Thin metal sheets easy cut.	Thin metal sheets (0.7-3 mm) Thin profiles/pipes (<100mm)	150x19x0.9		



Includes adaptative fitting saw case



Saw blades

Reciprocating saw (Wood/plaster/plastic/metal...)

All cutting (5 combined blades set)

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
ST1000MT  	1	BIM. Wave milled teeth. Fine clean cutting	Thin metal sheets (0.7-3mm). Thin profiles/pipes (<100mm). PVC.	150x19x0.9		
ST1500WM 	1	BIM. Wave milled teeth. Special demolition cut, Straight and fast metal and wood cutting	Wood, Wood with nails, Chipboard (<100 mm), Fibreglass, Plastic/epoxy, Solid (<100 mm), Wall, wood, metal cutting (<100 mm).	150x22x1.6		
ST1400WM  	1	BIM. Side set milled teeth Special immersion cut Fast cutting wood & metal.	Wood, Wood with nails, Chipboard (10-100 mm), Fibreglass reinforcements & plastic, plastic/epoxy, Solid (8-50 mm), Drywall (<100 mm), Window frames: Wood & metal.	150x19x1.25	12.630	30.00€
ST200WC  	1	HCS. Rectified, side-set teeth, Progressive. Fine precision cut	Wood pannels (<175 mm). Wood de Construction (6-150 mm). Plywood, Chipboard, MDF (6-60 mm). PVC (6-150 mm).	200x19x1.25		
ST240WF  	1	HCS. Rectified, side-set teeth. Fast cutting.	Wood Plywood Plastic	240x19x1.5		



Saw blades

Reciprocating saw Metal

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
	3	BIM. Wave milled teeth. Thin metal sheets easy cut.	Thin metal sheets (0.7-3 mm) Thin profiles/tubes (<100mm)	150x19x0.9	12.763	35.00€



Pallets (3 baldes set)

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
   	3	BIM. Rectified, side-set teeth 175mm cutting length Teeth spacing 3.2/5mm Demolition progressive teeth for fast cuts.	Wood with nails/ metal (Wood, Boards Chipboard) (<175mm). GFX/Epoxi, solid (<175mm). Demolition	225x22x1.6	12.719	25.00€



Frozen goods (3 baldes set)

Icons	Pcs	Description	Applications	Size	Code	R.S.P.
   	3	Stainless steel	Frozen goods (10-250mm)	305x19x1.2	12.500	20.00€



Saw blades

Reciprocating saw


Wood & Metal (Pallet special) TCT Teeth

Icons	Pcs	Description	Applications	Size	Code	R.S.P
ST800HM 	1	HM. Widia teeth. Rectified, side-set teeth Long lifespan. Demolition teeth, Progressive spacing for fast cuts.	Wood with nails/ metal (hardened) (5-175mm). Wood with steel (5-175mm) Cast steel tubes (Ø<6"). Fibreglass / epoxi(<175mm). Window frames metal/wood (<175mm)	305x50x1.5	12.634	30.00€



Bricks y Fibrecement TCT teeth



Icons	Pcs	Description	Applications	Size	Code	R.S.P
ST900HM 	1	HM. Widia teeth. Long lifespan. Fast cutting on construction materials like bricks.	Medium bricks (< 215 mm) Poroton Fibrecement Porous concrete Red brick Construction stone	305x50x1.5	12.633	35.00€





Saw blades

Jig saw

Metal & Wood (10 Combined blade set)




Icons	Pcs	Description	Applications	Lu (mm)	TPI	Code	R.S.P.
	2	HCS. Fast cutting Soft wood .	Wood	100	4		
	2	HCS. Curved cut on Wood .	Wood	82	2		
	2	HCS. Clean cut on Chipboard	Wood	100	2.5	12.628	7.00€
	2	HCS. Clean cut on metal	Metal	91	1.2		
	2	HCS. Fast clean cut on Aluminum	Aluminum	100	3		




Saw blades

Jig saw

Wood (10 Combined blade set)



Icons	Pcs	Description	Applications	Lu (mm)	TPI	Code	R.S.P.
ST102F 	4	HCS. Clean cut on wood	Wood	92	2	12.626	5.00€
ST100S 	4	HCS. Fast cutting.	Wood	82	2		
ST101C 	2	HCS. Curved cut on wood	Wood	100	3		




Saw blades

Jig saw

Laminate, hard wood y soft wood (10 combined blades set)

Icons	Pcs	Description	Applications	Lu (mm)	TPI	Code	R.S.P.
ST125SF 	2	HCS. Fast cutting Soft wood	Soft wood (5-55mm)	100	4		
ST136CF 	2	HCS. Curved cut on Chipboard	Soft wood (5-55mm), Wood Chipboard	100	4		
ST125FH 	2	HCS. Fast cutting Laminate & Hard wood	Soft wood (5-55mm), Wood Chipboard	100	2.5	12.627	6.00€
ST114SC 	2	HCS. Clean cut on Chipboard	Laminate, MDF, Plywood	82	4.2		
ST113CC 	2	HCS. Curved clean cut on Laminate	Hard wood, Wood Chipboard, Laminate, Plywood	100	4		




Saw blades

Jig saw


Metal (3 blades set)

Icons	Pcs	Description	Applications	Lu (mm)	TPI	Code	R.S.P.
	3	HSS. Curved cut	Thin metal sheets (1-3mm)	80	1.2	12.624	4.00€



Metal (3 blades set)

Icons	Pcs	Description	Applications	Lu (mm)	TPI	Code	R.S.P.
	3	BIM. Bimetallic blades Long lifespan Break resistant. Fast clean cut.	Stuffed materials, Aluminum, Non ferrous metals epoxi	132	2	12.625	5.50€



Mixed (10 combined blades set)


Pcs	Description	Applications	Code	R.S.P.
10		Wood Iron Aluminum	12.422	18.00€




Saw blades

Belt saws

Model	Description	Barcode 8427648	Code	R.S.P.
SN 1435 B	Belt saw 1435 P 6/10	233751	2.267	44.00€
SN 1435 B	Belt saw 1435 P 8/12	233768	2.268	44.00€
SN 1435 B	Belt saw 1435 P 10/14	233775	2.269	44.00€
SN 1470	Belt saw 1470x13x0.65mm P6/10	113428	2.130	46.00€
SN 1470	Belt saw 1470x13x0.65mm P8/12	072398	2.117	46.00€
SN 1470	Belt saw 1470x13x0.65mm P10/14	024991	12.117	46.00€
SN 1735	Belt saw 1735x13x0.65mm P6/10	198319	2.208	55.00€
SN 1735	Belt saw 1735x13x0.65mm P8/12	186682	2.194	55.00€
SN 1735	Belt saw 1735x13x0.65mm P10/14	141865	12.366	55.00€
SIENA 210	Belt saw 2110x20x0.90mm P8/12	353459	1047.13	61.00€
SIENA 210	Belt saw 2110x20x0.90mm P6/10	353442	1047.12	61.00€
SIENA 210	Belt saw 2110x20x0.90mm P10/14	353466	1047.14	61.00€
SIENA 270	Belt saw 2450x27x0.90mm P4/6	789524	40.106	67.00€
SIENA 270	Belt saw 2450x27x0.90mm P6/10	340565	40.73	67.00€
SIENA 270	Belt saw 2450x27x0.90mm P8/12	340558	40.74	67.00€
SIENA 270	Belt saw 2450x27x0.90mm P10/14	340541	40.75	67.00€
SIENA 320	Belt saw 2680x27x0.90mm P4/6	356726	1047.26	72.00€
SIENA 320	Belt saw 2680x27x0.90mm P6/10	345782	1047.3	72.00€
SIENA 320	Belt saw 2680x27x0.90mm P8/12	741850	1047.4	72.00€
SIENA 320	Belt saw 2680x27x0.90mm P10/14	753952	1047.5	72.00€
SIENA 370	Belt saw 3160x27x0.90mm P4/6	353510	1047.19	78.00€
SIENA 370	Belt saw 3160x27x0.90mm P6/10	355033	1047.25	78.00€
SIENA 370	Belt saw 3160x27x0.90mm P8/12	353527	1047.20	78.00€





ACCESÓRIOS PARA
MADERA

Wood accessories

Die router bits


10 die router bits set with 6mm shaft.

Wood routing, made of carbon steel and high performance double width.

High wear resistance for a long lifespan.

Suitable for all kinds of wood.

Designed for evening, routing and kitchen assembly.



Icon	Nº	Insertion "d" (mm)	Diameter "D" (mm)	Length "B" (mm)	Lt "L" (mm)	Code	R.S.P.
	1	6	3	11	51	1.2366	25.00€
	2	6	4	11	51		
	3	6	5	11	51		
	4	6	6	19	51		
	5	6	8	19	51		
	6	6	10	19	51		
	7	6	12	19	51		
	8	6	14	19	51		
	9	6	18	19	51		
	10	6	12.7	25.4	63		

6 die router bits set with 6mm shaft.

Wood routing, made of carbon steel and high performance double width.

High wear resistance for a long lifespan.

Suitable for all kinds of wood.

Designed for evening, routing and kitchen assembly.


8 mm insertion, Check availability

Hard



2 hollow bits of 12 & 14mm, reinforced.

Faster routing
More material
removal



Icon	Nº	Insertion "d" (mm)	Diameter "D" (mm)	Length "B" (mm)	Lt "L" (mm)	Code "d 6"	R.S.P. "d 6"	Code "d 8"	R.S.P. "d 8"
	1	6 / 8*	4	11	51	1.2462	20.00€	1.2620*	22.00€*
	2	6 / 8*	6	19	51				
	3	6 / 8*	8	19	51				
	4	6 / 8*	10	19	51				
	5	6 / 8*	12 hueca	12	38				
	6	6 / 8*	14 hueca	12	38				

* Check availability

Wood accessories

Router bits

12 mixed router bits set (die bits & shaped bits) for an optimal finish on hard wood, soft wood and wood compounds.


Different shapes for different bevel patterns.

Suitable for assemblers, carpenters and construction workers.


Suitable for any router with a 6mm insertion.

Long lifespan.

Carbon steel bit with high performance widia.




Nº	Insertion "d" (mm)	Diameter "D" (mm)	Radius "R"	Code	R.S.P.
1	6	12.7	6.35	1.351	28.00€
2	6	22	6.35		
3	6	12.7	-		
4	6	32	-		
5	6	12.7	-		
6	6	16	-		
7	6	22	6.35		
8	6	12	-		
9	6	6	-		
10	6	28.6	9.5		
11	6	12.7	-		
12	6	25.4	4		




COVE BOX BIT
D ø 12.7 mm
R 6.35 mm




COVE BIT
D ø 22 mm
R 6.35 mm




DOVETAIL BIT
D ø 12.7 mm




ROUNDING BIT
D ø 22 mm
R 6.35 mm




STRAIGHT BIT
D ø 12 mm




STRAIGHT BIT
D ø 6 mm




45° CHAMFER BIT
D ø 32 mm




FLUSH TRIM BIT
D ø 12.7 mm




STRAIGHT BIT
D ø 16 mm



ROUNDING BIT
D ø 28.6 mm
R 9.5 mm



90° V BIT
D ø 12.7 mm



ROMAN OGEE BIT
D ø 25.4 mm
R 4 mm

Wood accessories

Collet & Nuts for Routers



Tool	Contains	Width	Code	R.S.P.
PR 10	Collet + nut	6 mm	12.491	9.00€
PR 10	Collet + nut	6.3 mm	12.492	9.00€
PR 10	Collet + nut	8 mm	12.493	9.00€
PR 10	Collet + nut	10 mm	12.494	9.00€
PR 10	Collet + nut	12 mm	12.495	9.00€
PR 10	Collet + nut	12.7 mm	12.496	9.00€
PR 6	Nut		5019.435	2.00€
PR 6	Collet		5019.436	9.00€

Planer blades



Set	Width	Code	R.S.P.
2	82 mm	12.195	7.00€
2	110 mm	12.605	8.00€



	Diameter	Code	R.S.P.
Disc TCT Z6	Ø 100x4x22mm	12.286	8.00€



Set	Biscuit	Grain	Code	R.S.P.
100	Wood	20	11.2493	26.00€
100	Wood	10	11.2494	26.00€
100	Wood	0	11.2495	26.00€

- Carbide reversible blades for electric planer.
- Suitable for 82mm - 3 1/4" planers (cod. 12.195).
- Suitable for 110mm - 4 3/8" planers (cod. 12.605).
- Always use eye and hands protection. Follow your electric planer users manual instructions.
- Each blade has 2 cutting edges that may inverted. When both edges are blunt the blade must be replaced. This blades are not suitable for resharpening.
- To replace the tool blades plug it out from the power socket. Loosen the 2 screws holding the blade and slide the drum sideways.
- Always avoid touching the edges with your fingers.
- Once the screws have been loosened the blade may be stuck due to dust or work pressure. Use a wood chunk to hit the blade to unblock it.



MULTITOOL



VACUUM CLEANERS



HIGH PRESSURE WATER CLEANER



PRECISION DRILL



MIXERS

ACCESSORIES

Accessories

Oscillating multi tool accessories

Immersion die saw HCS

- Immersion die saw HCS (**High Carbon Steel**) for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed for **Wood, plastic & drywall cutting**. For deep cuts, for reducing, opening holes and grounded cuts.
- **Sizes 32 x 40 x 90 mm.**

Code: 12.548
R.S.P.: 6.00€



Semi circular saw HCS

- Semi circular saw HCS (**High Carbon Steel**) for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed for **Wood, plastic & drywall cutting**. Specially suited for hard to reach areas, grounded cuts, and edge cutting.
- **Sizes 88 x 65 mm.**

Code: 12.550
R.S.P.: 12.00€



Immersion die saw BIM

- Immersion die saw BIM (**Bimetallic**) for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed for **metal, wood with nails, plastic and hard woods**. For deep cuts, for reducing, opening holes and grounded cuts.
- **Sizes 32 x 40 x 90 mm.**

Code: 12.549
R.S.P.: 8.00€



Semi circular saw BIM

- Semi circular saw BIM (**Bimetallic**) for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed for **metal, wood with nails, plastic and hard woods**. Specially suited for hard to reach areas, grounded cuts, and edge cutting.
- **Sizes 88 x 65 mm.**

Code: 12.551
R.S.P.: 17.00€



Diamond die saw

- Diamond die saw for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed for **tiles, ceramic materials & glass cutting**. For deep cuts, for reducing, opening holes and grounded cuts.
- **Sizes 20 x 32 x 85 mm.**

Code: 12.553
R.S.P.: 14.00€



Semi circular diamond saw

- Diamond edge semi circular saw for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed for **tiles, ceramic materials & glass cutting**. Specially suited for hard to reach areas, grounded cuts, and edge cutting.
- **Sizes 88 x 65 mm.**

Code: 12.554
R.S.P.: 23.00€



Accessories

Oscillating multi tool accessories

Self adhering delta plate

- Self adhering plate for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed to be used as a delta sanding sheet support to sand wood, plastics & metals. The delta shape allows hard to reach and edges sanding.
- **Sizes 93 x 93 x 93 mm**

Code: 12.557
R.S.P.: 8.00€



Diamond delta plate

- Diamond delta plate for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- **Specially designed for ceramic materials, masonry and hard adhesive materials sanding.**
- For edge sanding, plaster and mortar polishing. The delta shape allows hard to reach and edges sanding.

Code: 12.555
R.S.P.: 18.00€



- **Sizes 78 x 78 x 78 mm**

Scraper

- Scratching scraper for oscillating multi tools.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- Specially designed to scratch, tear off and strip. Remover silicon, glue, old paint or carpet.
- **Sizes 52 x 50 x 95 mm**

Code: 12.552
R.S.P.: 8.00€




Set de Sanding sheets Delta autoadherentes

- Specially designed to be attached to a delta plate to sand woods & plastics.
- Delta shape allows for corners and edge sanding.
- Compatible with MULTITOOL PRO300, MULTI L20 & MULTI L18 from STAYER
- **Sizes 93 x 93 x 93 mm**

Model	Pcs	Grain	Code	R.S.P.
Multi Tool	10	40x2 - 60x3 80x3 - 120x2	12.556	8.00€
	5	60	12.814	3.00€*
	5	80	12.815	3.00€*
	5	120	12.816	3.00€*
	5	180	12.817	3.00€*

Code: 12.556
R.S.P.: 8.00€



Accessories

Oscillating multi tool accessories

Tiling set (4 Pcs)

- 4 Accessories set for oscillating multi tools specially suited for tiling.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- **Scraper** (52 x 49 x 99 mm): Specially designed to scratch, tear off and strip. Remover silicon, glue, old paint or carpet.
- **Diamond delta plate** (73 x 73 mm): Specially designed for ceramic materials, masonry and hard adhesive materials sanding.
- For edge sanding, plaster and mortar polishing. The delta shape allows hard to reach and edges sanding.
- **Diamond die saw** (20 x 32 x 85 mm):

Specially designed for **tiles, ceramic materials & glass cutting**. For deep cuts, for reducing, opening holes and grounded cuts.

- **Diamond edge semi circular saw** (88 x 55 mm): Specially designed for **tiles, ceramic materials & glass cutting**. Specially suited for hard to reach areas, grounded cuts, and edge cutting.



Code: 12.558
R.S.P.: .46.00€

Wood & Drywall (4 Pcs)

- 4 Accessories set for oscillating multi tools specially suited for wood and drywall.
- Flat open insertion, easy and quick tool coupling with no other tools needed.
- Compatible with most of the main brands.
- **Scraper** (52 x 49 x 99 mm): Specially designed to scratch, tear off and strip. Remover silicon, glue, old paint or carpet.
- **Immersion die saw BIM** (32 x 40 x 90 mm): Specially designed for **metal, wood with nails, plastic and hard woods**. For deep cuts, for reducing, opening holes and grounded cuts.
- **Immersion die saw HCS** (32 x 40 x 90 mm): Specially designed for **wood, plastic & drywall cutting**. For deep cuts, for reducing, opening holes and grounded cuts.
- **Semi circular saw HCS** (88 x 65 mm): Specially designed for **Wood, plastic & drywall cutting**. Specially suited for hard to reach areas, grounded cuts, and edge cutting.



Code: 12.559
R.S.P.: 30.00€



Accessories

Multidrill accessories

Roughing & Cutting



Rotary precision drill accessories set.
180 Pcs for all kinds of jobs, cutting, polishing,
sanding, brightening, etc...on any kind of
surface and material.
Easy and quick accessory exchange.
Ø 3.10mm shaft.

180 Pcs set		Code	R.S.P.
x 10	Sanding rolls (Grain)	1.891	27.00€
x 1	felt plate 25.4x3.2 mm		
x 1	felt roll		
x 4	felt wheel		
x 1	felt wheel 9.5x19 mm		
x 2	Sanding roll shafts		
x 4	diamond bits		
x 1	HSS cylyndrical drill bit		
x 3	Aluminum oxide wheel with shank		
x 6	Aluminum oxide grindstone		
x 2	Silicon carbide grindstone with shank		
x 6	Silicon carbide grindstone		
x 2	Nylon brushes		
x 3	Stainless steel brushes		
x 1	Brass brush		
x 1	waxing / polishing compound		
x 30	Cutting discs 24x0.8 mm		
x 46	Cutting discs 24x0.4 mm		
x 45	Sanding discs		
x 3	Chromed shafts (3.2 / 2.4 / 1.6)		
x 1	Cutting disc shaft		
x 1	Flap wheel shaft		
x 1	Felt wheel shaft		
x 2	Fibreglass abrasive cutting discs		
x 1	Key 9.5 mm		
x 1	Flap wheel with shaft 32x9.5 mm		
x 1	Silicon carbide cated sharpening stone		

Accessories

Accessories Multidill

Sanding & Roughing



40 pcs set			Code	R.S.P.
x 4	Cutting discs	Ø 3.2 mm	1.2330	11.00€
x 10	Sanding rolls	12.7 mm		
x 1	Sanding shaft	Ø 3.2 mm		
x 1	Roll shaft	Ø 3.17 mm		
x 4	Abrasive points	20x3.2 mm		
x 20	Sanding discs			

Rotary precision drill accessories set.
40 Pcs for sanding & roughing on different materials (wood , metal, etc...)
Perfect finish on multiple surfaces.
Small size case for an easy and comfortable storage and transportation.
Ø 3.10mm shaft diameter

Cutting



89 Pcs set			Code	R.S.P.
x 1	Diamond disc	22x0.6 mm	1.2328	13.00€
x 1	Saw blade	22x0.3 mm		
x 18	Fibreglass disc	32x1.2 mm		
x 2	Cutting disc	32x1.6 mm		
x 36	Cutting disc	24x0.6 mm		
x 30	Cutting disc	24x0.8 mm		
x 1	2 pieces shaft	Ø 3.17 mm		

Rotary precision drill accessories set.
Specially assembled for cutting different types of materials. (wood, metal & construction materials).
Small size case for an easy and comfortable storage and transportation.
89 Pcs set.
Ø3.10mm shaft diameter

Accessories

Accessories Multidill

Cutting & Roughing



	102 Pcs set	Code	R.S.P.
x 3	Aluminum oxide points	1.2327	14.00€
x 3	Silicon carbide points		
x 6	Nickel & rubber points		
x 3	Roughing discs		
x 3	Sanding discs		
x 6	Rubber sanding discs		
x 40	Sanding sheets 20 mm		
x 36	Cutting discs 24 mm		
x2	Shaft		

Rotary precision drill accessories set.

Specially assembled for cutting and roughing different types of materials.

Its wide array of components makes this set suitable for all types of surfaces with a great finish.

Ø3.10mm shaft

Polishing



	20 pcs set	Code	R.S.P.
x 4	Brush Ø3.2 mm	1.2329	9.00€
x 3	Felt disc 25x6.3 mm		
x 6	Felt disc 12.7x6.3 mm		
x 2	Rubber support 22x3 mm		
x 1	Polishing wheel		
x 1	Felt polishing wheel		
x 1	Polishing compound		
x 1	Sanding discs shaft Ø 3.17 mm		
x 1	Felt discs shaft Ø 3.17 mm		

Rotary precision drill accessories set.

Specially designed for cleaning and polishing any kind of material.

Includes polishing compound for a perfect finish.

Quick tool change with great precision on any area of work.

Ø 3.10mm shaft.

Accessories

Vacuum cleaner accessories

VAC 2030

Accessory	Code	R.S.P.
Cloth filter	8190.102	8.00€
Washable filter bag	8190.103	11.00€



Cloth filter



Washable filter bag

VAC 2050 C

Accessory	Code	R.S.P.
Cloth filter	8190.97	10.00€
HEPA Filter	8190.49	10.00€
Vacuum tube	8190.99	22.00€
Flat nozzle	8190.92	5.00€
Vacuum brush	8190.94	20.00€
Circular brush	8190.93	12.00€
Vacuum tube	8190.91	14.00€
Flexible hose	8190.95	12.00€
Flexible hose 4 m	8190.99	22.00€



Cloth filter



HEPA Filter



Vacuum hose



Flat nozzle



2 positions brush



Circular brush



Flexible hose 1.5m Ø40mm
Flexible hose 4m Ø40mm



Metallic vacuum tube

BVAC 2000

Accessory	Code	R.S.P.
HEPA Filter	8276.527	14.90€
Floor brush (liquids)	8276.552	11.00€
Floor brush (solids)	8276.554	8.00€
Flexible hose	8276.553	10.50€
Vacuum tube	8276.556	10.50€
Flat nozzle	8276.557	2.70€
Circular brush	8276.558	1.60€
Upholstery nozzle	8276.559	1.30€
Auxiliary air input filter	8276.539	0.80€
Auxiliary air output filter	8276.546	1.00€



HEPA Filter



Floor brush (liquids)



Floor brush (solids)



Flexible hose



Vacuum tube



Flat nozzle



Circular brush



Upholstery nozzle



Auxiliary air input filter
Auxiliary air output filter

Accessories

Vacuum cleaner accessories

BVAC 2200 E

Accessory	Code	R.S.P.
Liquids filter	8130.123	20.00€
Solids filter	8130.58	20.00€
Floor brush (liquids)	8130.124	9.00€
Floor brush (solids)	8130.108	8.00€
Flat nozzle	8130.102	4.00€
Small washable bag	8130.122	11.00€
Big washable bag	8130.125	11.00€
Adaptor	75.281	15.00€
Nozzle	8130.103	1.00€
Telescopic tube	8130.104	9.30€



Liquids filter



Floor brush (liquids)



Solids filter



Floor brush (solids)



Small washable bag



Big washable bag



Flat nozzle



Adaptor



Nozzle

VVAC 2075 / VVAC 2060

Accessory	Code	R.S.P.
HEPA Filter (x1 piece)	8276.172	22.00€
Circular brush	8276.317	12.00€
Floor brush (liquids)	8276.318	10.00€
Floor brush (solids)	8276.319	8.00€
Flexible hose	8276.316	22.00€
Flat nozzle	8276.314	14.00€



HEPA Filter



Circular brush



Floor brush (liquids)



Flexible hose



Flat nozzle

Floor brush (solids)

BVAC 2400 DM

Accessory	Code	R.S.P.
HEPA Filter	12.714	36.30€
Floor brush (liquids)	12.715	16.50€
Floor brush (solids)	12.716	16.50€
Flexible hose	12.713	27.35€
Vacuum tube	12.712	19.80€
Flat nozzle	12.718	5.30€
Circular brush	12.717	5.30€



HEPA Filter




Floor brush (liquids)



Floor brush (solids)



Flexible hose



Vacuum tube



Flat nozzle



Circular brush

Accessories

Mixer whisks

Model	Tool	Description	Insertion	Ø (mm)	Code	R.S.P.
-	-	Drill whisk	Ø8	Ø80x40	11.5505	9.50€
H2P	-	Paint and liquids Mixes from the top to the bottom	M14	Ø 100	12.445	17.00€
H2	-	Liquid and low viscous materials Mixes from the bottom to the top	M14	Ø 120	12.231	20.00€
H2	-	Liquid and low viscous materials Mixes from the bottom to the top	M14	Ø140	12.232	22.00€
H2	-	Liquid and low viscous materials Mixes from the bottom to the top	M14 (detachable)	Ø140	12.485	22.00€
H2	-	Liquid and low viscous materials Mixes from the bottom to the top	M14	Ø160	12.527	23.00€
H3	-	All types of densities and viscosities Unifrom mixing from the bottom to the top penetrating the material.	M14	Ø140	12.233	23.00€
H3	-	All types of densities and viscosities Unifrom mixing from the bottom to the top penetrating the material.	M14	Ø160	12.234	26.00€
H4	-	2 opposed helix. The lower one pushes downwards while the top one upwards. Suitable for paint. No splashing.	M14	Ø114	12.235	21.00€
T3	-	High density materials. Reduces the material heating.	M14	Ø170	12.444	27.00€
WK3	DM1450	Combined spin whisk Increased mixing speed	M18	Inf Ø95 Sup Ø120	12.538	39.00€
-	DM1450	Combined spin helix adaptor	M14 - M18		12.295	8.00€

Drill



H2P



H2



H3



H4



T3



WK3



Adaptor




Accessories

High pressure water cleaner accessories

HL 105 B

Accessory	Code	R.S.P.
Gun	8276.412	13.00€
Turbo lance	8276.564	6.00€
Fan lance	8276.414	5.25€
Conector	8276.413	8.00€




HL 2000

Accessory	Code	R.S.P.
Gun	8276.114	34.00€
Turbo lance	8276.106	16.00€
Fan lance	8276.263	20.00€



HLC 2000

Accessory	Code	R.S.P.
Gun	8276.488	34.00€
Conector	8276.487	8.00€
Turbo nozzle	8276.490	6.30€
45° nozzle	8276.491	6.30€
Fan nozzle	8276.492	6.30€



HL 2200 IND

Accessory	Code	R.S.P.
Gun	8276.488	34.00€
Turbo lance	8276.106	16.00€
Fan lance	8276.263	20.00€



HL 105 B / HL 2000 / HLC 2000 / HL 2200 IND

Accessory	Code	R.S.P.
Brush	8276.326	14.00€
Floor brush 200mm	8276.325	18.00€
Flushing pipe 6m	8276.324	18.00€
Rotary brush	8276.323	18.00€
Foam tank	8276.651	14.00€




Accessories

High pressure water cleaner accessories

HL 2700 IND

Accessory	Code	R.S.P.
Gun	8276.53	45.00€
Turbo lance	8276.565	25.00€
Fan lance	8276.566	28.00€



HL 3000 IND

Accessory	Code	R.S.P.
Gun	8276.53	45.00€
Intermediate lance	8276.567	30.00€
Nozzle 0°	8276.88	5.00€
Nozzle 15°	8276.90	5.00€
Nozzle 25°	8276.89	5.00€
Nozzle 40°	8276.91	5.00€
Nozzle Soap	8276.562	7.00€
Nozzle turbo	8276.93	7.00€



HL 2700 IND / HL 3000 IND

Accessory	Code	R.S.P.
Rotary brush	8276.426	18.00€
Floor brush 200mm	8276.652	26.00€
Flushing pipe + Adaptor	8276.654	25.00€
Adaptor	8276.653	8.00€
Extensor hose 5m	8276.571	37.00€
Brush adaptor	8276.563	3.00€
Foam tank	8276.650	40.00€



COMMON Accessories

Accessory	Code	R.S.P.
Water filter	8276.343	3.15€
HPC conector	8276.327	5.00€





STAYER

STAYER
WIDIA

Ø190

WIDIA
DISCS

Widia discs for circular saws

Wood

Standard

Widia discs with ATB teeth. Standard quality wood cutting

ø140 x 20 - Z24	Standard wood cutting, reduction flange from 20 to 16 mm	2.171	20.00€
ø150 x 20 - Z16	Standard wood cutting, reduction flange from 20 to 16 mm	2.29	21.00€
ø150 x 20 - Z24	Standard wood cutting, reduction flange from 20 to 16 mm	12.318	22.00€
ø160 x 20 - Z16	Standard wood cutting, reduction flange from 20 to 16 mm	2.172	22.00€
ø160 x 20 - Z24	Standard wood cutting, reduction flange from 20 to 16 mm	2.173	23.00€
ø165 x 20 - Z30	Standard wood cutting, reduction flange from 20 to 16 mm	2.468	24.00€
ø180 x 30 - Z24	Standard wood cutting, reduction flange from 20 to 16 mm	2.174	25.00€
ø180 x 30 - Z40	Standard wood cutting, reduction flange from 30 to 20 & 16 mm	2.175	29.00€
ø184 x 30 - Z24	Standard wood cutting, reduction flange from 30 to 20 & 16 mm	2.176	25.00€
ø184 x 30 - Z40	Standard wood cutting, reduction flange from 30 to 20 & 16 mm	2.177	29.00€
ø190 x 30 - Z24	Standard wood cutting, reduction flange from 30 to 20 & 16 mm	2.146	29.00€
ø190 x 30 - Z40	Standard wood cutting, reduction flange from 30 to 20 & 16 mm	2.178	32.00€
ø200 x 30 - Z40	Standard wood cutting	2.30	33.00€
ø200 x 30 - Z64	Standard wood cutting	2.204	30.00€
ø205 x 30 - Z24	Standard wood cutting	2.137	29.00€
ø205 x 30 - Z30	Standard wood cutting	2.216	29.00€
ø205 x 30 - Z40	Standard wood cutting	12.65	34.00€
ø205 x 30 - Z60	Standard wood cutting	2.217	39.00€
ø210 x 30 - Z24	Standard wood cutting	12.229	35.00€
ø210 x 30 - Z48	Standard wood cutting	12.230	39.00€
ø230 x 25.4 - Z24	Standard wood cutting	2.192	37.00€
ø230 x 30 - Z48	Standard wood cutting	2.218	39.00€
ø235 x 30 - Z24	Standard wood cutting	2.147	54.00€
ø235 x 25.4 - Z24	Standard wood cutting	2.479	54.00€
ø250 x 30 - Z48	Standard wood cutting	2.34	43.00€
ø250 x 30 - Z60	Standard wood cutting	12.179	48.00€
ø254 x 30 - Z40	Standard wood cutting	12.98	38.00€
ø254 x 30 - Z60	Standard wood cutting	12.97	48.00€
ø254 x 30 - Z80	Standard wood cutting	2.205	56.00€
ø300 x 30 - Z48	Standard wood cutting	2.42	55.00€
ø300 x 30 - Z72	Standard wood cutting	2.46	70.00€
ø305 x 30 - Z48	Standard wood cutting	12.323	55.00€
ø305 x 30 - Z72	Standard wood cutting	12.108	70.00€
ø315 x 30 - Z36	Standard wood cutting, Anti nails disc	4006.59	61.00€

Disc ATB Wood



ATB teeth
alternate upper
bevel



Semi silent disc

HQ

Widia discs with ATB teeth. HQ quality wood cutting

ø250 x 30 - Z48	HQ wood cutting	2.149	49.00€
ø250 x 30 - Z60	HQ wood cutting	2.148	56.00€
ø254 x 30 - Z60	HQ wood cutting	2.206	56.00€
ø254 x 30 - Z80	HQ wood cutting	12.311	64.00€
ø260 x 30 - Z80	HQ wood cutting	12.322	71.00€
ø300 x 30 - Z72	HQ wood cutting	2.209	80.00€
ø305 x 30 - Z96	HQ wood cutting	12.107	83.00€
ø315 x 30 - Z72	HQ wood cutting	2.210	95.00€
ø350 x 30 - Z108	HQ wood cutting	12.41	108.00€

HQ Semi-silent

Semi silent widia discs with ATB teeth for wood cutting

ø235 x 30 - Z24	HQ wood cutting, Semi-silent plate	2.472	59.00€
ø250 x 30 - Z60	HQ wood cutting, Semi-silent plate	2.473	61.00€
ø260 x 30 - Z80	HQ wood cutting, Semi-silent plate	2.474	78.00€
ø300 x 30 - Z72	Standard wood cutting, Semi-silent plate	2.751	88.00€
ø300 x 30 - Z96	Standard wood cutting, Semi-silent plate	2.752	90.00€
ø305 x 30 - Z72	Standard wood cutting, Semi-silent plate	2.475	88.00€
ø305 x 30 - Z96	Standard wood cutting, Semi-silent plate	2.476	90.00€
ø315 x 30 - Z72	Standard wood cutting, Semi-silent plate	2.493	95.00€

Widia discs for circular saws

Laminates

HQ & Semi silent HQ

Widia discs with TCG teeth for Laminate cutting			
ø190 x 30 - Z48	HQ laminate cutting	2.489	39.00€
ø210 x 30 - Z48	HQ laminate cutting	2.490	48.00€
ø235 x 30 - Z60	HQ laminate cutting	2.491	62.00€
ø254 x 30 - Z80	HQ laminate cutting, Semi-silent plate	2.486	80.00€
ø305 x 30 - Z96	HQ laminate cutting, Semi-silent plate	2.487	96.00€
ø315 x 30 - Z96	HQ laminate cutting, Semi-silent plate	2.494	105.00€



TCG teeth disc upper alternating bevel for laminate cutting

Aluminum & Metal

Aluminum

Widia discs with TCG teeth for Aluminum cutting			
ø200 x 30 - Z60	Standard aluminum cutting	2.120	36.00€
ø205 x 30 - Z60	Standard aluminum cutting	12.315	36.00€
ø210 x 30 - Z60	Standard aluminum cutting	2.138	43.00€
ø250 x 30 - Z60	Standard aluminum cutting	2.36	51.00€
ø250 x 30 - Z80	Standard aluminum cutting	12.42	56.00€
ø300 x 30 - Z72	Standard aluminum cutting	2.49	80.00€
ø305 x 30 - Z100	Standard aluminum cutting	2.220	93.00€
ø250 x 30 - Z80	HQ aluminum cutting	2.154	66.00€
ø254 x 30 - Z80	HQ aluminum cutting	12.258	66.00€
ø300 x 30 - Z96	HQ aluminum cutting	12.43	96.00€
ø300 x 30 - Z100	HQ aluminum cutting	12.326	96.00€
ø305 x 30 - Z96	HQ aluminum cutting	12.259	96.00€
ø350 x 30 - Z108	HQ aluminum cutting	12.45	181.00€
ø250 x 30 - Z80	HQ aluminum cutting, Semi-silent plate	2.477	73.00€
ø305 x 30 - Z96	HQ aluminum cutting, Semi-silent plate	2.478	105.00€



TCG teeth disc upper alternating bevel for aluminum & metal cutting

Metal

Widia discs with TCG teeth for metal cutting			
ø230 x 25.4 - Z48	Standard metal cutting for CP 236	12.399	52.00€
ø235 x 25.4 - Z60	Standard metal cutting	12.592	56.00€
ø305 x 25.4 - Z60	HQ metal cutting	12.63	143.00€
ø355 x 25.4 - Z80	HQ metal cutting	75.288	180.00€
ø355 x 25.4 - Z72	HQ metal cutting, Sandwich teeth for TD 355 B-New*	12.660	249.00€



TCG teeth disc upper alternating bevel for aluminum & metal

METAL CUTTING

TCG Widia Disc Sandwich teeth

Ø 355 x 3.0 x 25.4 mm Z72

Cod. 12.660

Over 10 times better performance over other widia discs



Circular saw discs

Multimaterial discs



MULTI MATERIAL discs

Wood, plastic, wood with nails, plaster cutting.
Tungsten particle blade.

Perfect finish cuts on laminate.

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	384439	2.442	13.00€
	Ø 125 x 22.2	391987	2.455	14.00€

HSS Discs



HSS discs

Specially designed for fast wood cutting.

Tool	Ømm	Grain	Barcode 8427648	Code	R.S.P.
	Ø 115 x 2 x 22.2	Z-4	189706	2.196	7.00€
	Ø 125 x 2 x 22.2	Z-4	189713	2.197	8.00€
	Ø230 x 2 x 22.2	Z-4	887459	2.198	13.00€

Polycrystalline diamond discs



TCT Widia

Polycrystalline diamond

Polycrystalline Diamond Plate (PCD)

40 to 150 times higher performance than hard metal

Application

Furnitures / Coated or lacquered Doors and boards / Laminated parquet / MDF pieces (DM) whether or not coated / Soft and postforming

 Ø	 Ø	Segment thickness (mm)	Plate thickness (mm)	N° teeth (Z)	Barcode 8427648	Code	R.S.P.
115	22.2	1.7	1.2	Z-4	413894	12.522	29.00€
125	22.2	1.7	1.2	Z-4	413900	12.523	31.00€
190	30	1.7	1.2	Z-12	413955	12.569	95.00€

Specially suited for Ø125 mm circular saws (CP 125)

“ The cutting geometry of the polycrystalline diamond guarantees a clean cut and much better performance than traditional discs. Reduces dust and sawdust. ”

Milling cutter for wall chaser



Channel width 25mm
Diameter Ø78mm

Code: 12.597
R.S.P.: 66.00€



DIAMOND
DISCS

Index

A) ANGLE GRINDER

	<u>TURBO PORCELANIC</u> Turbo Extrafino Super Turbo Extrafino Top Porcelanico <u>TURBO CONSTRUCTION</u> Turbo Huracan Turbo Plus Reforzado	80	<u>SEGMENTED CONSTRUCTION</u> Huracan Huracan Silencioso Tornado Cantero	84
	<u>TURBO & CONTINUOUS BAND PORCELANIC</u> Turbo Extrafino Pro Turbo Extrafino Pro H10 Porcelanico Banda Continua Porcelanico Segmentado <u>TURBO CONSTRUCTION</u> Turbo Profesional	81	<u>SEGMENTED CONSTRUCTION</u> Laser Profesional Formula Intercooler H12 Laser Granito & hard materials Laser Arce Granito Laser Hormigon & abrasive materials Construccion LD Intercooler	86
	<u>TURBO & CONTINUOUS BAND CONSTRUCTION</u> Turbo BAsico Ceramic Banda Continua	82	<u>SEGMENTED CONSTRUCTIONN</u> Universal Básico Formula H10	89
<u>ROUGHING & SPECIAL CUT PLATES</u> Aluminum speed plate Double segment plate Epoxy VB plate Roughing Concrete plate Concave Granite with tear reinforcement Tuck point disc		90	<u>VACUUM BRAZING & ELECTRODEPOSITED</u> Marmol Marmol con Flangia M14 Corta Todo <u>VACUUM BRAZING DIAMOND CORES</u>	91 92

B) BENCH CUTTER

	TURBO & CONTINUOUS BAND PORCELANIC Turbo Extrafino Platinum Porcelanico Segmentado	94	SEGMENTED CONSTRUCTION Ladrillo Caravista Láser Arce Construccion	95
	CONTINUOUS BAND PORCELANIC Porcelanico Segmentado Porcelanico Banda Continua	94	SEGMENTED CONSTRUCTION Laser Profesional	95
			SEGMENTED CONSTRUCTION Universal BAsico	95


Index

C) BRIDGE CUTTER & BENCH CUTTER

BRIDGE CUTTER & BENCH CUTTER

Granito
Marmol

97



BRIDGE CUTTER

Piedra Artificial
Tornado Granito

D) JOINT CUTTER

JOINT CUTTER

Pavimento Alto Rendimiento
Hormigon Curado Alto Rendimiento
Hormigon Fresco Alto Rendimiento
Asphalt Alto Rendimiento
Hormigon Curado Rendimiento ST
Hormigon Fresco Rendimiento ST



98

E) WALL CUTTING

99

F) JOIST CUTTING

99

G) WET CUTTING CORES

99

TECHNICAL DATA



TENSSION

Lack of tension reduces the plate strength, spinning unevenly at the recommended speed.

Cause: The disc has a bent axis.

Solution: Check the axis alignment.

Cause: Disc plate overload.

Solution: If wet cutting, provide enough water on both sides for an adequate cooling. If dry cutting let the disc spin at no load speed for several minutes to cool it off.

Cause: The disc is working over the recommended R.P.M.

Solution: Check the axis for any damage. Tighten the nut and make sure the tool is working as intended. If the disc presents a dark blue tone it means it has been deformed, probably because the segments got clogged due to inappropriate use.



CUTTING CAPACITY LOSS

Cause: The disc does not auto rectify itself enough on the material its been used.

Solution: Make several cuts on an abrasive material like sandstone, premade concrete or cement.

We advise using sharpening stones to recover the disc cutting capacity.



SEGMENT BREAKING

Cause: The diamond segment is too hard for the material to be cutted.


Solution: Use a softer diamond segment disc.



DISC CONSUMPTION

Cause: The metal plate is wearing off faster than the diamond segment, specially where they connect.

Solution: Use a disc with a softer segment.



OFF-CENTERED AXIS

Cause: The nuts are not tightened enough, causing the disc to vibrate or spin on the axis.

Solution: Appropriately tighten the disc.

Cause: The axis has been damaged due to the disc misspositioning.

Solution: Make sure the disc is placed correctly before tightening the nut.

On concrete discs make sure the bolt is appropriately placed over the dragging hole.



SEGMENT LOSS

Never use a disc missing a segment.

Cause: Overheating and a blue tone in the missing segment zone.

Solution: If wet cutting, make sure both sides of the disc are colled evenly with water.

If dry cutting, allow the disc to spin with no load to cool down.

Cause: The disc or the cutting material are not fixed, causing the segments to get stuck and break.

Solution: Appropriately fix the material to be cutted and the disc.

Cause: Not cutting in a straight line makes the disc get stuck and brek a segment.

Solution: Always make die cuts. Always avoid bending.

Cause: The fixing nuts can't correctly hold the disc.

Solution: Clean the disc surface.

Cause: The disc is too hard for the material to be cutted, Causing excessive hits and sticking the segments until they break (this may also be caused by overheating which might even melt the copper welding).

Solution: Use a sutiable disc for the material to be cutted.

Angle grinder cutting - Turbo Porcelanic

Porcelanic & Ceramic materials



TURBO EXTRAFINO



SUPER TURBO EXTRAFINO



TOP PORCELÁNICO

1 of this 3 models is essential in any diamond range.

The technological breakthroughs in the ceramic world have brought us incredibly hard mc ceramic materials that also require an excellent cutting finish, that is why diamond disc manufacturers have developed solutions to those needs.

▼ PORCELÁNICO **TURBO EXTRAFINO PLATINUM**

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø115 X 22.2	7 x 1.2	676947	14.18	21.00€
	Ø 115R x 22.2	7 x 1.2	684911	14.239	22.00€
	Ø 125R x 22.2	7 x 1.2	676350	14.240	26.00€
	Ø 150R x 22.2	7 x 1.6	723306	8294.16	36.00€
	Ø 180R x 22.2	7 x 1.8	728516	8294.129	52.00€
	Ø 230R x 22.2	7 x 2.0	723313	8294.17	59.00€

Suitable for **porcelanic, ceramic, tiles**.

Also hard materials like granite, gres or klinker.

The extrafine continous and castellated segment creates a perfect finish.

R: with **5cm built in flange**.

▼ PORCELÁNICO **SUPER TURBO EXTRAFINO PLATINUM**

Tool	Ømm	HxT	Barcode 8427648	Code. artículo	R.S.P.
	Ø 115 x 22.2	10 x 1.2	703247	14.353	30.00€
	Ø 125 x 22.2	10 x 1.2	706101	14.394	34.00€

The **best finish** on porcelanic, gres & ceramic materials.

The extrafine **10 mm** continous and castellated segment creates a perfect finish.

5cm built in flange.

▼ TOP **PORCELÁNICO PLATINUM**

Tool	Ømm	HxT	Barcode 8427648	Code. artículo	R.S.P.
	Ø 115 x 22.2	11 x 1.2	703311	14.469	32.00€
	Ø 125 x 22.2	11 x 1.2	730328	14.470	36.00€

New **diamond coating technology**, that increases the cutting speed and quality.

The extrafine **10 mm** continous and castellated segment creates a perfect finish.

5cm built in flange.

* H x T: Segment height x segment width

Angle grinder cutting - Turbo Porcelanic

Porcelanic & ceramic materials



1 of this 2 models is essential in any diamond range.

TURBO EXTRAFINO PRO

TURBO EXTRAFINO PRO H10

Turbo Extrafino Pro & Turbo Extrafino Pro H10 have the best quality-cost ratio.

TURBO EXTRAFINO PRO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115R x 22.2	7 x 1.4	722958	8294.4	13.50€
	Ø 125R x 22.2	7 x 1.4	723320	8294.18	16.50€
	Ø 230R x 22.2	7 x 2.0	723337	8294.19	42.00€

Suitable for **porcelanic, vitrified ceramic, gres, granite**, etc.

Flange reinforced plate for an increased resistance to torsion.

TURBO EXTRAFINO PRO H10

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115R x 22.2	7 x 1.4	728714	8294.132	20.00€
	Ø 125R x 22.2	7 x 1.4	728738	8294.134	24.00€
	Ø 230R x 22.2	7 x 2.0	728752	8294.136	50.00€

Suitable for **porcelanic, vitrified ceramic, gres, granite**, etc.

Flange reinforced plate for an increased resistance to torsion.

The 10mm height segment allows for a high performance cut.

* H x T: Segment height x segment width

Angle grinder cutting - Turbo Construction

Construction



TURBO HURACÁN



TURBO PLUS REFORZADO



TURBO PROFESIONAL
CONSTRUCCIÓN



TURBO BÁSICO
CONSTRUCCIÓN

TURBO HURACÁN PLATINUM

Suitable for **granite & hard materials like klinker, gres, ferrogres, dekton, silestone, etc.**

Continuous & castellated segment for an improved cutting quality.

12 mm height & 230 mm for an improved performance. **Vented plate** for an increased cutting time.

Greater plate and segment thickness for extremely hard material cutting

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	10 x 2.0	694392	14.301	25.00€
	Ø 125 x 22.2	10 x 2.0	694408	14.302	28.00€
	Ø 230 x 22.2	12 x 2.6	694922	14.304	64.00€

TURBO PLUS REFORZADO PLATINUM

The embedded reinforcements allow deeper cuts, more cuts with a higher performance.

Continuous & castellated segment with a higher width for an improved cutting quality.

Ø150 mm disc specially designed for wall chasers.

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H9	726796	8294.74	25.00€
	Ø 125 x 22.2	H9	732353	8299.82	28.00€
	Ø 150 x 22.2	H9	729018	14.466	46.00€
	Ø 180 x 22.2	H9	732063	14.471	56.00€
	Ø230 X 22.2	H9		8299.98	64.00€

TURBO PROFESIONAL CONSTRUCCIÓN

Optimal **combination between speed and performance on construction materials cutting**; Ceramics, Tiles, Gres, Bricks, Masonry, etc...

Continuous & castellated segment for an improved performance on ceramic materials.

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H7 x 2.0	722965	8294.5	17.00€
	Ø 125 x 22.2	H7 x 2.0	723627	8294.38	21.00€
	Ø 180 x 22.2	H7 x 2.4	707894	40.29	30.00€
	Ø 230 x 22.2	H7 x 2.6	722972	8294.6	38.00€

TURBO BÁSICO CONSTRUCCIÓN

For medium-low hardness **construction materials**.

Continuous & castellated segment for an improved cutting quality.

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H7	722668	8294.1	9.00€
	Ø 125 x 22.2	H7	723573	8294.35	11.00€
	Ø 180 x 22.2	H7	705531	40.6	19.00€
	Ø 230 x 22.2	H7	722675	8294.2	25.00€

Angle grinder cutting - Banda Continua

Porcelanic & Ceramic materials

Construction



BANDA CONTINUA

SEGMENTADO

CERÁMICA BANDA CONTINUA

PORCELÁNICO **BANDA CONTINUA PRO**

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	7 x 1.5	724617	8294.49	15.00€
	Ø 125 x 22.2	7 x 1.5	726871	8294.79	20.00€
	Ø 150 x 22.2	7 x 1.6	732162	8294.179	25.00€
	Ø 230 x 22.2	7 x 2.3	726888	8294.80	47.00€

Suitable for **Porcelanic & vitrified ceramic, Marble** as well as compact artificial stone.
Continuous band for an optimal cut finish.

PORCELÁNICO **SEGMENTADO PRO**

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	7 x 1.5	724594	8294.47	15.00€
	Ø 125 x 22.2	7 x 1.5	726864	8294.78	20.00€
	Ø 180 x 22.2	7 x 1.9	702912	1500.129	32.00€
	Ø 230 x 22.2	7 x 2.3	725751	8294.67	34.00€

Suitable for **Porcelanic & vitrified ceramic, Marble** as well as compact artificial stone.
Continuous band with **laser "J" shaped cuts** for an optimal cooling.

CERÁMICA **BANDA CONTINUA CONTRUCCIÓN**

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H7	724266	8294.44	8.00€
	Ø 125 x 22.2	H7	724839	8294.55	10.00€
	Ø 150 x 22.2	H7	676244	36.10	15.00€
	Ø 180 x 22.2	H7	724808	8294.53	17.00€
	Ø 230 x 22.2	H7	724853	8294.57	24.00€

For **medium-low hardness ceramic tiles** .
Continuous band for an optimal cut finish.

Angle grinder cutting - Segmented

Construction Platinum



LÁSER HURACÁN

The best diamond disc

GREAT NOISE REDUCTION:
Model STANDARD: 101 db(A).
Model SILENT: 85 db(A).



LÁSER HURACÁN SILENCIOSO

Suitable for **hard materials:** granite, reinforced concrete, ferrogres, klinker and all types of construction materials.

Superior quality disc, higher cutting capacity and speed on any type of construction material and stone. Laser welded.

- Castellated segment for a faster cutting start.
- Vented plate for ain improved cooling.

LÁSER HURACÁN

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H10	686533	8299.103	29.00€
	Ø 125 x 22.2	H10	704602	8299.105	34.00€
	Ø 230 x 22.2	H10	704985	100.1165	89.00€

LÁSER HURACÁN SILENCIOSO

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 230 x 22.2	H12	720282	100.1771	99.00€

Suitable for **hard materials:** granite, reinforced concrete, ferrogres, klinker and all types of construction materials.

Superior quality disc, higher cutting capacity and speed on any type of construction material and stone. Laser welded.

- Castellated segment for a faster cutting start.
- Vented plate for ain improved cooling.
- 12mm segment height form an increased disc lifespan.
- Silent plate to reduce cutting noise.





TECNHICAL DATA MAX
DEPTH AND
CUTTING SPEED

ANGLE GRINDER DISCS

		R.P.M. recommended	R.P.M. max
100mm/4"	25mm/1"	9000	13000
115mm/4,5"	30mm/1,25"	8000	13300
125mm/5"	35mm/1,5"	7300	12000
180mm/7"	65mm/2,5"	5200	8800
200mm/8"	70mm/3"	5200	8800
230mm/9"	83mm/3,25"	4500	7800

Angle grinder cutting - Segmented

Construction Platinum



El posicionamiento del diamante garantiza la estabilidad del producto

LÁSER TORNADO

The most advanced technology

LÁSER TORNADO

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H12	709706	14.416	35.00€
	Ø 125 x 22.2	H12	709713	14.417	39.00€
	Ø 230 x 22.2	H12	702547	8299.88	90.00€

STONE DISCS



CANTERO GRS50

LÁSER CANTERO

High quality disc for construction materials: cement, concrete and reinforced concrete, bricks, etc...
Hard materials like granite, klinker, natural stone & artificial stone.

Evenly arranged diamond grains.

Laser welded.

15 layered segment (8 dust, 7 diamond)

12mm segment height for an increased lifespan.

For extremely hard materials. 15 layered segment (8 dust, 7 diamond).

LÁSER CANTERO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H10	707511	22.17	28.00€
	Ø 125 x 22.2	H10	707528	22.18	30.00€
	Ø 180 x 22.2	H10	707535	22.19	49.00€
	Ø 230 x 22.2	H10	726970	8299.12	60.00€
	Ø 115 x 22.2	H12	724884	8299.23	34.00€
	Ø 125 x 22.2	H12	724082	8299.13	38.00€
	Ø 180 x 22.2	H12	724785	8299.21	61.00€
	Ø 230 x 22.2	H12 G40	723191	8299.2	69.00€
	Ø 230 x 22.2	H12 GRS50	716599	100.1531	89.00€
	Ø 230 x 22.2	H12 GRS60	718158	100.1628	89.00€
	Ø 230CF x 22.2 & 6 Holes		723900	100.2006	127.00€

Special discs designed for quarries.

CANTERO GRS40: Fast cutting on different hardness granites.

CANTERO GRS50: Disc for granite quarries. High speed cutting on hard granites.

CANTERO GRS60: Long lifespan discs, for wet cutting.

Angle grinder cutting - Segmented

Construction Professional



LÁSER PROFESIONAL



FÓRMULA INTERCOOLER H12

1 of this 2 models is essential on any diamond disc range.

LÁSER PROFESIONAL

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H7	723221	8299.5	18.00€
	Ø 125 x 22.2	H7	724679	8299.19	20.00€
	Ø 180 x 22.2	H7	732360	8299.83	34.00€
	Ø 230 x 22.2	H7	724044	8299.9	42.00€
	Ø 115 x 22.2	H10	724778	8299.20	22.00€
	Ø 125 x 22.2	H10	723214	8299.4	25.00€
	Ø 150 x 22.2	H10	728523	22.23	35.00€
	Ø 230 x 22.2	H10	723207	8299.3	52.00€

Optimal **speed and performance combination** on construction materials: Cement, Bricks, Refractory bricks, Gres, Ceramic, Slate, sandstone, Terrazzo, etc. Laser weld

Available with 7 or 10 mm segment height. Different plate and segment thickness.

FÓRMULA INTERCOOLER H12

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H12	729728	8294.151	16.00€
	Ø 125 x 22.2	H12	729742	8294.153	21.00€
	Ø 180 x 22.2	H12	704701	8294.185	35.00€
	Ø 230 x 22.2	H12	731578	14.337	44.00€

All construction materials disc

Suitable for concrete, bricks, gres, **slate**, **sandstone**, **terrazzo**, etc. Advantages:

- a) **12 mm** segment height for an improved performance.
- b) The segment **grooves** allow for an increased cutting speed, cooling and debris removal.
- c) The **steel plate holes** allow an **improved disc refrigeration**.

Angle grinder cutting - Segmentado

Construction Granite



LÁSER GRANITO Y MATERIALES DUROS



LÁSER ARCE GRANITO

LÁSER GRANITO Y MATERIALES DUROS

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H7	724655	8299.17	25.00€
	Ø 125 x 22.2	H7	724822	8299.22	28.00€
	Ø 180 x 22.2	H7	703735	22.13	53.00€
	Ø 230 x 22.2	H7	724068	8299.11	60.00€

Specially designed for **granite & hard materials**.

Laser weld.

High quality diamond clustering, grains 30/40 with a medium hardness binder create an extraordinary disc.

Available with 7, 10 & 12 mm segment height.
Different plate and segment thickness.

LÁSER ARCE GRANITO

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H10	726666	14.409	27.00€
	Ø 125 x 22.2	H10	726673	8299.29	32.00€
	Ø 150 x 22.2	H10	709973	8299.86	50.00€
	Ø 180 x 22.2	H10	702806	14.348	55.00€
	Ø 230 x 22.2	H10	702141	14.329	65.00€

Granite & hard materials with high speed cutting.
Castellated segment for an increased cutting speed.

Laser welded. 10mm height for an increased performance.

Angle grinder cutting - Segmented

Construction Concrete



LÁSER HORMIGÓN Y MATERIALES ABRASIVOS



CONSTRUCCIÓN LD INTERCOOLER

1 of this 2 models is essential on any diamond disc range.

▼ LÁSER **HORMIGÓN Y MATERIALES ABRASIVOS**

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H7	732278	8299.78	25.00€
	Ø 125 x 22.2	H7	732285	8299.79	28.00€
	Ø 180 x 22.2	H7	732308	8299.81	43.00€
	Ø 230 x 22.2	H7	728332	8299.52	54.00€

Specially designed for **concrete & abrasive materials**.

Laser welded.
High diamond clustering hardened with tungsten carbide allows for an improved resistance.
Available with 7, 10 & 12 mm segment height.
Different plate and segment thickness.

▼ CONSTRUCCIÓN LD **INTERCOOLER**

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H10	724099	8299.14	27.00€
	Ø 125 x 22.2	H10	732018	8299.70	32.00€
	Ø 230 x 22.2	H10	724105	8299.15	65.00€

Specially suited for **concrete, brick, gres, terrazzo, slate, sandstone**, etc.

10mm segment height for an improved performance.

Vented plate for an increased cutting time.

Laser weld.

Angle grinder cutting - Segmented

Basic Construction



UNIVERSAL BÁSICO



FÓRMULA H10

UNIVERSAL **BÁSICO**

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H7	722941	8294.3	6.50€
	Ø 125 x 22.2	H7	723412	8294.23	7.50€
	Ø 180 x 22.2	H7	723597	8294.37	15.00€
	Ø 230 x 22.2	H7	723115	8294.9	19.00€

For **low and medium-low hardness construction materials.**


FÓRMULA **H10**

Tool	Ømm	H	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	H10	723344	8294.20	10.00€
	Ø 125 x 22.2	H10	723559	8294.33	13.00€
	Ø 230 x 22.2	H10	723351	8294.21	30.00€

Granite and construction materials.
Castellated segment for an increased cutting speed.

Roughing & cutting with Angle grinder

Roughing plates & Special cuts



1- PLATO SPEED **SEGMENTADO CON SOPORTE DE ALUMINIO**

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 100 SPEED GRM 30 M14	722934	8299.1	60.00€
	Ø 125 SPEED M14	723719	8299.8	75.00€

For natural stone (granite & marble).
Great material removal.

2- PLATO **DOBLE SEGMENTO / DOBLE SEGMENTO PRO**

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 100 GRM 30 M14	723993	8294.41	60.00€
	Ø 125 AR M14	723719	8294.145	75.00€
	Ø 180 M14 PRO	725195	8294.65	125.00€
	Sinterized Ø100 X 22.2 ECO	724280	8294.45	25.00€

High performance, Silver welded

3- PLATO **EPOXI VB**

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 125 EPOXI 22.2	888777	40.54	110.00€

Vacuum Brazing technology.

Suitable for coating removal, glue, epoxy, fibreglass, paint, etc.

Not suitable for concrete roughing.

4- PLATO **DESBASTE HORMIGÓN**

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 125 x 22.2	726925	8299.34	110.00€
	Ø 150 x 22.2	732186	8299.76	130.00€

Suitable for concrete roughing.

CÓNCAVO GRANITO CON REFUERZO Y LÁGRIMA

Ømm	Barcode 8427648	Code	R.S.P.
Ø 125 x 22.2 H7	676459	14.40	59.00€
Ø 180 x 22.2 H7	676039	14.64	90.00€

Curved cut on counters
made of natural stone
(counter profiling).

REGATAS

Ømm	HxT	Barcode 8427648	Code	R.S.P.
Ø 125 x 22.2	6.4 X 10	728981	8299.53	50.00€
Ø 125 x 22.2	10 X 10	728998	8299.54	64.00€

Tuck point disc for
concrete and pavement

Angle grinder cutting & Diamond cutter

Vacuum Brazing & Electrodeposited



MARMOL

MARMOL



MARMOL CON FLANGIA M14



CORTA TODO

MÁRMOL

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	725898	8299.26	40.00€
	Ø 125 x 22.2	725904	8299.27	46.00€
	Ø 180 x 22.2	730571	8299.66	66.00€
	Ø 230 x 22.2	726031	8110.30	77.00€
	Ø 230CF x 70	726048	8110.31	99.00€

Specially suited for **calcareous materials & marble**.

Reinforced protections on the support.

MÁRMOL CON FLANGIA M14 (Marbel cutting and roughing)

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 125 x 22.2	732568	40.61	54.00€

Specially suited for **calcareous materials & marble**.

Reinforced protections on the support.

CORTA TODO

Tool	Ømm	Barcode 8427648	Code	R.S.P.
	Ø 115 x 22.2	707160	40.22	40.00€
	Ø 125 x 22.2	707900	40.30	50.00€
	Ø 230 x 22.2	707269	40.24	99.00€
	Ø 300 x 25.4	703070	14.349	150.00€
	Ø 350 x 25.4	695276	14.312	195.00€

Vacuum brazing technology

Cuts **all types of materials**: Iron, metal profiles, pvc, granite, marble, stones, bricks, roof tiles, etc.

ELECTRODEPOSITED & ALL CUTTING

Diamond dust is being increasingly used in cutting tools, roughing & polishing, for different types of materials. With different adhering procedures on steel.

For marble & calcareous stones it is advised to use electrodeposited discs, where the diamond grains adhere to the plate with the **ELECTROLYSIS procedure**.

The **ALL CUTTING** disc has dust adhered to the plate with the **VACUUM BRAZING** method, welded in a vacuum oven it increases the diamond adhesion over electrodeposited discs. A really high hard diamond is used with this method, allowing iron, metal profiles & basically all types of construction materials to be cut.

Porcelanic cores

VACCUM BRAZED Diamond cores (Angle grinder)



Diamond cores stand, Use with angle grinder.

Code: 1697.34



Ø	H	Barcode 8427648	Code	R.S.P.
5*	M14	770027	40.66	14.00€
6	M14	728769	40.43	15.00€
8	M14	728776	40.44	17.00€
10	M14	728783	40.45	19.00€
12	M14	728790	40.46	20.00€
15*	M14	770072	40.71	23.00€
18*	M14	770089	40.72	25.00€
20	M14	728806	40.47	27.00€
25	M14	728813	40.48	29.00€
30	M14	728820	40.49	35.00€
32*	M14	770096	40.73	37.00€
35	M14	728837	40.50	41.00€
40*	M14	770034	40.67	47.00€
45	M14	728844	40.51	53.00€
50*	M14	770041	40.68	57.00€
60*	M14	770058	40.69	64.00€
75	M14	728794	40.53	73.00€
120	M14	728851	40.52	97.00€

ADVANTAGES

- Dry cut diamond cores with M14 insertion to be used with angle grinders.
- Vacuum brazed diamond: diamond grain retention increased, higher abrasion and heat core resistance.
- Dry cut, no need of damping the surface with water to cool it off while drilling.
- Specially suitable for gres, porcelanic materials & ceramic, with an outstanding performance on natural stone and extremely hard stone like marble or granite.
- For small diameters (<12 mm) it is advised to grease the core with wax, to increase its lifespan and increase the heat resistance.
- To expand the core lifespan and get the best finish it is advised to use an angle grinder with speed regulator. The bigger the core the higher rpm the angle grinder must have.
- To start drilling it is advisable to begin with a 30°-45° attack angle and then proceed with oscillating movements for a maximum core use while reducing localized overheating and wear.
- Once the drilling is complete the angle grinder must be turned off with the core still inside the hole without taking it off until it has completely stopped spinning, to avoid accidents caused by debris housed inside the core. Once the angle grinder has completely stopped the debris housed inside the core must be removed, if the debris is stuck it can be unblocked with an iron rod or lightly hitting the core.



Porcelanic cores

Masonry bits (Drill)

Vacuum brazed diamond bits for porcelanic



Ø.	Insertion	Code	R.S.P.
5	HEX	40.70	15.00€
6	HEX	40.56	16.00€
8	HEX	40.57	17.00€
10	HEX	40.58	18.00€

Ø.	Insertion	Code	R.S.P.
3 Pcs set			
6-8-10	HEX	5.1182	45.00€

ADVANTAGES

- **VACUUM BRAZING** technology that improves the diamond grains retention, achieving a significant larger lifespan while increasing its heat resistance and abrasion wear
- Inner vegetal wax coating as lubricant to cool down the bit, reducing temperature, increasing its lifespan.
- Dry cut diamond bits, no water cooling needed.
- Perfect gres and porcelanic finish.

APPLICATIONS

Ceramic, gres, porcelanic, marble, granite drilling.

USE

Hex shank (1/4") for no impact drills

Before working it's advisable to mark the drilling zone with masking tape to avoid the bit sliding. This not amndatory as diamond drilling must be started with a 15-35 ° angle, and then drill with orbital movements. By doing this the bit wont slide and will last longer.

Gate the drill speed according to the material to be drilled to extend the drill's lifespan.

If higher precision is required, we have a suction cup drilling guide with multiple hole diameters from 4 to 12 mm.

We also offer a cooling wax + angle grinder M14 adaptor set to increase the bit lifespan, whilte the adaptor enables your drill to use M14 angle grinder diamond cores.

Drilling guide with suction cap for DRILLS



FEATURES

- Suction cup to attach the guide to multiple wall types.
- Ceramic, Gres, Gres Porcelanic, Glass, marble, metal.
- Hole metal coating for a reinforced protection.

4-5-6-7-8-10-12mm diameters.



Code: 5.1191
R.S.P: 14.00€

Adaptor + Cooling wax

FEATURES

- Angle grinder M14 vacuum brazed diamond cores adaptor to HEX for drill usage.
- Vegetal cooling wax for Ø5 - 6 - 8 - 10mm bits.



Code: 5.1169
R.S.P: 10.00€

Bench cutter



TURBO EXTRAFINO



SEGMENTADO




BANDA CONTINUA

1 of this 3 models is essential in any diamond range.

The technological breakthroughs in the ceramic world have brought us incredibly hard mceramic materials that also require an excellent cutting finish, that is why diamond disc manufacturers have developed solutions to those needs.

PORCELÁNICO TURBO EXTRAFINO PLATINUM

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 200R x 25.4	7 x 2.0	702905	1500.128	56.00€
	Ø 250R x 25.4	7 x 2.0	693098	1500.1	85.00€
	Ø 300R x 25.4	7 x 2.2	694477	1500.2	106.00€

Suitable for **porcelanic, ceramic, tiles**.
Also hard materials like granite, gres or klinker.

The extrafine continous and castellated segment creates a perfect finish.

R: with 5cm built in flange.

PORCELÁNICO SEGMENTADO PLATINUM


Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 300 x 25.4	7 x 2.3	680005	14.158	125.00€
	Ø 300 x 60	7 x 2.3	713673	14.435	125.00€
	Ø 350 x 25.4	7 x 2.5	680012	14.159	154.00€
	Ø 350 x 60	7 x 2.5	709942	14.423	154.00€
	Ø 400 x 60	7 x 2.5	680791	14.175	192.00€

Suitable for **Porcelanic & vitrified ceramic, Marble** as well as compact artificial stone.

Continuous band with **laser "J" shaped cuts** for an optimal cooling.

ø60 mm hole


PORCELÁNICO SEGMENTADO PRO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 200 x 25.4	7 x 1.9	729971	8294.155	34.00€
	Ø 250 x 25.4	10 x 2.3	731011	8294.171	70.00€
	Ø 300 x 25.4	10 x 2.3	695719	1500.51	95.00€
	Ø 350 x 25.4	10 x 2.5	697010	1500.95	115.00€

Suitable for **Porcelanic & vitrified ceramic, Marble** as well as compact artificial stone.

Continuous band with **laser "J" shaped cuts** for an optimal cooling.

PORCELÁNICO BANDA CONTINUA PRO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 180 x 25.4	7 x 1.9	730663	8294.68	34.00€
	Ø 200 x 25.4	7 x 1.9	730670	8294.161	40.00€
	Ø 250 x 25.4	7 x 2.3	703612	1500.137	70.00€
	Ø 300 x 25.4	7 x 2.3	695740	1500.54	95.00€
	Ø 350 x 25.4	7 x 2.5	709980	1500.179	115.00€

Suitable for **Porcelanic & vitrified ceramic, Marble** as well as compact artificial stone.

Continuous band for an optimal cut finish.

Bench cutter & Diamond cutter



LADRILLO CARAVISTA

ARCE CONSTRUCCIÓN

LÁSER PROFESIONAL

UNIVERSAL BÁSICO

LADRILLO CARAVISTA PLATINUM

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	672499	100.26	143.00€
	Ø350 x 25.4	H10	672307	100.45	175.00€

Specially suited for bricks, refractory bricks, terrazzo, cement, prefabricated concrete & abrasive materials.

Laser weld.

10 mm height for an improved performance.

LÁSER ARCE CONSTRUCCIÓN PLATINUM

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	698055	1500.116	129.00€
	Ø350 x 25.4	H10	702707	1500.126	154.00€

Specially suited for diamond cutters.

The castellated segment provides an increased cutting speed.

Bricks, concrete, cement, bricks, terrazzo & construction materials.

Laser weld.

LÁSER PROFESIONAL

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 250 x 25.4	H7	702660	1500.122	70.00€
	Ø 300 x 25.4	H7	732025	8299.71	79.00€
	Ø 350 x 25.4	H7	702691	1500.125	90.00€
	Ø 300 x 25.4	H10	729537	8299.62	89.00€
	Ø 350 x 25.4	H10	728349	1500.195	118.00€

Optimal **speed and performance combination** on construction materials:

Cement, Bricks, Refractory bricks, Gres, Ceramic, Slate, sandstone, Terrazzo, etc.

Laser weld

Available with 7 or 10 mm segment height.

Different plate and segment thickness.

UNIVERSAL BÁSICO


Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 250 x 25.4	H10	715806	1500.190	50.00€
	Ø 300 x 25.4	H10	695320	1500.49	60.00€
	Ø 350 x 25.4	H10	712928	1500.188	69.00€

For **low and medium-low hardness construction materials**.

Quarry discs and tools, Stone and construction

Discs from **300 mm. up to 3500 mm.**

The **Stayer Diamant team** researches and develops diamond segments for all kinds of stone, wether it is natural or artificial. Our ingeneers provide solutions for national and international stones, specialized in **granite, slate, limestone, Marble & sandstone.**



Segments range



- We produce segments for all kinds of stone: Marble, limestone, sandstone, granite, concrete, etc...
- Any thickness and shape.
- Customized to your needs.

Diamond sectors



- For marble, granite, slate & concrete.
- Different densities.

Gauge rings & Granite Segmented milling wheels




- With 3 densities: Coarse grain, Medium grain & Fine grain.
- Rectified & calibrated.





Diamond wire for fixed tool



Bench cutter & Bridge cutter



GRANITO BENCH CUTTER & BRIDGE CUTTER



Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 250 x 25.4	H7	675155	14.106	100.00€
	Ø 300 x 25.4	H10	686939	100.548	152.00€
	Ø 350 x 25.4	H10	700451	100.934	162.00€




**MAX DEPTH AND SPEED
FOR BENCH CUTTER DISCS**

		R.P.M. recommended	R.P.M. max.
300mm/12"	100mm/4,5"	2900	3200
350mm/14"	125mm/5"	2600	2800
400mm/16"	150mm/6"	2200	2400


MÁRMOL MÁQUINA PUENTE Y MESA

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.	Marble
	Ø 300 x 60	H7	686946	100.549	140.00€	
	Ø 350 x 60	H7	700635	100.952	150.00€	

PIEDRA ARTIFICIAL MÁQUINA PUENTE

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.	Dekton & Porcelanic
	Ø 350 x 60	H10	721777	100.1886	156.00€	
	Ø 400 x 60	H10	721838	100.1890	178.00€	

TORNADO GRANITO MÁQUINA PUENTE

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø 350 x 60	H15	704749	100.1156	185.00€
	Ø 350 Silencioso	H15	704732	100.1155	205.00€
	Ø 400 x 60	H15	704503	100.1147	250.00€
	Ø 400 Silencioso	H15	704510	100.1148	280.00€

Specially designed for bridge cutter.
Arrayed in formation diamond segment for a high performance and resistance on extremely hard materials.
Silver welded.



Arrayed diamond

Joint cutter



PAVIMENTO ALTO RENDIMIENTO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	705449	100.1183	150.00€
	Ø350 x 25.4	H10	705296	100.1169	170.00€
	Ø400 x 25.4	H10	705302	100.1170	190.00€

Cuts through reinforced concrete, concrete & Asphalt. Disc specially designed for pavement cutting. Reinforced segments for pavement, fresh cement & asphalt. Laser welded.

HORMIGÓN CURADO ALTO RENDIMIENTO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	698062	100.847	160.00€
	Ø350 x 25.4	H10	700475	100.936	176.00€
	Ø400 x 25.4	H10	700727	100.961	202.00€
	Ø450 x 25.4	H10	700871	100.976	245.00€
	Ø500 x 25.4	H10	701014	100.990	315.00€

Concrete & reinforced concrete. Segments with high amounts of tungsten for an improved abrasive resistance. Laser welded.

HORMIGÓN FRESCO ALTO RENDIMIENTO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	698079	100.848	170.00€
	Ø350 x 25.4	H10	700499	100.938	180.00€
	Ø400 x 25.4	H10	677143	100.199	235.00€
	Ø450 x 25.4	H10	700895	100.978	282.00€
	Ø500 x 25.4	H10	671737	100.102	352.00€

Fresh concrete and asphalt. Segments with high amounts of tungsten carbide for an improved abrasive resistance and performance. Four reinforcement segments with H15 height. Laser welded.

ASFALTO ALTO RENDIMIENTO

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	672529	100.23	170.00€
	Ø350 x 25.4	H10	672413	100.34	180.00€
	Ø400 x 25.4	H10	700666	100.955	235.00€
	Ø450 x 25.4	H10	671874	100.88	282.00€
	Ø500 x 25.4	H10	682979	100.369	352.00€

Asphalt & Asphalt over concrete. Four reinforcement segments with H15 height. Laser welded.

HORMIGÓN CURADO RENDIMIENTO ST

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	710382	1500.183	125.00€
	Ø350 x 25.4	H10	693944	1500.10	134.00€

Old reinforced concrete. Standard performance. Laser welded.

HORMIGÓN FRESCO RENDIMIENTO ST

Tool	Ømm	HxT	Barcode 8427648	Code	R.S.P.
	Ø300 x 25.4	H10	710375	1500.182	135.00€
	Ø350 x 25.4	H10	693951	1500.11	144.00€

Fresh concrete & asphalt. Standard performance. Laser welded.

CORTE MURAL



Ømm	HxT	Barcode 8427648	Code	R.S.P.
Ø600	H10	667044	100.208	327.00€
Ø700	H10	671430	100.132	691.00€
Ø800	H10	671348	100.141	575.00€
Ø900	H10	671232	100.152	1097.00€
Ø1000	H10	667051	100.207	680.00€
Ø1200	H10	699755	100.867	1400.00€
Ø1600	H10	699946	100.886	1920.00€

Wall cutting
Standard segment & double segment

CORTE HORMIGÓN (VIGUETA - PLACA)



Ømm	HxT	Barcode 8427648	Code	R.S.P.
Ø700	H10	671423	100.133	721.00€
Ø800	H10	667013	100.210	1156.00€
Ø900	H10	680500	100.287	1544.00€
Ø1000	H10	686908	100.545	1727.00€
Ø1200	H10	680043	100.266	2427.00€
Ø1300	H10	714410	100.1404	-00€

Reinforced concrete. Joist
cutting

CORONAS DE CORTE HÚMEDO

					Barcode 8427648	Code	R.S.P.
20	1/2UNC	300	2,8	2	697171	1500.102	80.00€
22	1/2UNC	300	2,8	2	697034	1500.97	82.00€
25	1/2UNC	300	3	2	703223	1500.135	84.00€
32	1/2UNC	300	3	3	699540	1500.117	92.00€
35	1/2UNC	300	3	3	699632	1500.118	96.00€
32	1"1/4UNC	450	3	3	695771	1500.56	92.00€
36	1"1/4UNC	450	3	4	695788	1500.57	96.00€
42	1"1/4UNC	450	3,5	4	696709	1500.85	102.00€
51	1"1/4UNC	450	3,5	4	710184	1500.180	105.00€
62	1"1/4UNC	450	3,5	5	671164	100.159	112.00€
72	1"1/4UNC	450	4	6	671157	100.160	128.00€
82	1"1/4UNC	450	4	7	671140	100.161	145.00€
92	1"1/4UNC	450	4	8	671133	100.162	165.00€
102	1"1/4UNC	450	4	9	671126	100.163	184.00€
112	1"1/4UNC	450	4	10	671119	100.164	206.00€
122	1"1/4UNC	450	4	10	671102	100.165	213.00€
127	1"1/4UNC	450	4	10	671089	100.167	230.00€
132	1"1/4UNC	450	4	11	671072	100.168	236.00€
142	1"1/4UNC	450	4	12	671065	100.169	258.00€
152	1"1/4UNC	450	4,5	13	671058	100.170	275.00€
162	1"1/4UNC	450	4,5	14	671041	100.171	320.00€
172	1"1/4UNC	450	4,5	15	671027	100.173	348.00€
182	1"1/4UNC	450	4,5	16	690943	100.720	373.00€
202	1"1/4UNC	450	4,5	17	671010	100.174	407.00€
222	1"1/4UNC	450	4,5	18	671003	100.175	440.00€
227	1"1/4UNC	450	4,5	18	695214	100.802	480.00€
252	1"1/4UNC	450	5	18	682849	100.359	526.00€
302	1"1/4UNC	450	5	20	679344	100.251	650.00€
Ex. tube	1" 1/4 - 1" 1/4	300			697027	1500.96	90.00€
Ex. tube	1" 1/2 - 1" 1/2	300			697096	1500.99	90.00€
Adaptor	1" 1/4	SDS DU			696969	1500.92	240.00€





ABRASIVE

DISCS

Abrasive & Flap discs



Abrasive discs INOX EXTRAFINE

PREMIUM LINE

Stainless steel cutting, high resistance steel, iron & ferrous materials.



Size (AxBxC)	Discs x box	Per box	Code	Unit R.S.P.
115x1.0x22.2	50x12	600	8110.35	0.82€
115x1.6x22.2	50x12	600	8110.75	0.86€
125x1.0x22.2	50x12	600	8110.36	0.95€
125x1.6x22.2	50x12	600	8110.76	0.99€
230x1.9x22.2	25x4	100	50.556	2.42€
* 230x1.9x22.2CH	25x4	100	50.547	2.50€
115x1.0x22.2	20 Cans x10 Pcs	200	8110.46	206.00€
125x1.0x22.2	20 Cans x10 Pcs	200	8110.103	216.00€




STANDARD LINE

Stainless steel cutting, high resistance steel, iron & ferrous materials.



Size (AxBxC)	Discs x box	Per box	Code	R.S.P.
115x1.0x22.2	50x12	600	8110.1	0.69€
115x1.6x22.2	50x12	600	8110.4	0.73€
125x1.0x22.2	50x12	600	8110.2	0.79€
125x1.6x22.2	50x12	600	8110.5	0.83€
150x1.6x22.2	25x4	100	50.394	1.35€
180x1.9x22.2	25x4	100	8110.13	1.50€
230x1.9x22.2	25x4	100	8110.3	2.10€
115x1.0x22.2	20 Cans x10 Pcs Stand	200	8110.14	164.00€



PERFORMANCE TEST

“ Greater performance than any competence disc ”

**Abrasivos
GRINDING**

AMOUNT OF CUTS

STAYER PREMIUM 115 X 1.0 187

STAYER INOX 115 X 1.0 138

Competence A 94

Competence B 91

Competence C 80

Competence D 76


Competence E 74

Competence F 70

Competence G 55

Competence H 48

Competence I 37



TESTED WITH


Testing bench & angle grinder SAB 800 BR (800W)
Disc Ø115 mm extrafine
Material: Solid steel rod S275 - 10 mm diameter
Consumed power during the test: 3.5 A
Consumed power during the test: 770 W
wearing off the disc up to ø65 mm diameter

Abrasive & Flap discs

Abrasive discs

Roughing PLATINUM

Iron & ferrous materials roughing. High performance and lifespan discs



Size (AxBxC)	Discs x box	Per box	Code	R.S.P.
115x6.4x22.2	25x4	100	50.559	1.49€
125x6.4x22.2	25x4	100	50.650	1.80€
150x6.4x22.2	25x2	50	50.393	1.93€
180x6.4x22.2	25x2	50	50.561	3.10€
230x6.4x22.2	25x2	50	50.562	4.68€

Roughing METAL


Iron roughing, ferrous metals



Size (AxBxC)	Discs x box	Per box	Code	R.S.P.
115x6.4x22.2	25x4	100	8110.7	1.24€
125x6.4x22.2	25x4	100	8110.11	1.50€
150x6.4x22.2	25x2	50	50.393	1.93€
180x6.4x22.2	25x2	50	50.344	2.59€
230x6.4x22.2	25x2	50	50.348	3.90€

METAL CUTTING

Iron cutting, ferrous metals



Size (AxBxC)	Discs x box	Per box	Code	R.S.P.
115x2.5x22.2	25x4	200	8110.6	0.74€
125x2.5x22.2	25x4	200	8110.10	0.85€
150x3.0x22.2	25x4	100	50.392	1.20€
180x2.5x22.2	25x4	100	8110.15	1.43€
230x2.5x22.2	25x4	100	8110.9	2.10€
230x3x22.2(platinum)	25x4	100	50.588	2.50€





Abrasive & Flap discs

Abrasive discs

BENCH TOOL

Iron cutting, medium iron and stainless steel sections cutting



Size (AxBxC)	Code	R.S.P.
300x2.8x25.4	50.387	4.40€
350x3.0x25.4	50.349	4.90€



FIXED TOOL

Iron cutting, medium-big iron and stainless steel sections cutting and high resistance metals cutting

Size (AxBxC)	Code	R.S.P.
300x3.5x22.2	50.388	4.40€



EXTRAFINE STONE

Stone and construction materials cutting

Size (AxBxC)	Discs x box	Per box	Code	R.S.P.
115x1.0x22.2	50x12	600	8110.18	0.90€
230x1.9x22.2	25x4	100	8110.20	2.40€



STONE CUTTING

Stone and construction materials cutting

Size (AxBxC)	Discs x box	Per box	Code	R.S.P.
115x2.5x22.2	50x4	200	8110.8	0.80€
125x2.5x22.2	50x4	200	8110.24	0.93€
230x2.5x22.2	25x4	100	8110.19	2.30€




Abrasive & Flap discs

Flap discs

PRO-CER

Iron & stainless steel roughing and polishing.
Aluminum oxide + zirconium

Size (AxBxC)	Grain	Flaps	Code	R.S.P.
115x22.2	Z40	90	9.346	1.90€
115x22.2	Z60	90	9.347	1.90€
115x22.2	Z80	90	9.348	1.90€
115x22.2	Z120	90	9.365	1.90€
125x22.2	Z40	90	9.349	2.25€
125x22.2	Z60	90	9.350	2.25€
125x22.2	Z80	90	9.351	2.25€
125x22.2	Z120	90	9.366	2.25€



PRO-LINE

Iron & stainless steel roughing and polishing.

Size (AxBxC)	Grain	Flaps	Code	R.S.P.
115x22.2	Z40	72	9.316	2.15€
115x22.2	Z60	80	9.317	2.15€
115x22.2	Z80	80	9.318	2.15€
115x22.2	Z120	90	9.362	2.15€
125x22.2	Z40	72	9.321	2.55€
125x22.2	Z60	80	9.322	2.55€
125x22.2	Z80	80	9.323	2.55€



HQ

Zirconium double layered flaps.

Size (AxBxC)	Grain	Flaps	Code	R.S.P.
115x22.2	Z40	80	9.206	2.90€
115x22.2	Z60	90	9.208	2.90€
115x22.2	Z80	90	9.209	2.90€
115x22.2	Z120	90	9.214	2.90€
125x22.2	Z40	86	9.218	3.43€
125x22.2	Z60	96	9.219	3.43€
125x22.2	Z80	96	9.220	3.43€
125x22.2	Z120	96	9.223	3.43€
150x22.2	Z40	90	9.232	4.40€
150x22.2	Z60	100	9.233	4.40€
150x22.2	Z80	100	9.234	4.40€
180x22.2	Z40	110	9.210	5.94€
180x22.2	Z60	140	9.211	5.94€
180x22.2	Z80	140	9.212	5.94€
180x22.2	Z120	140	9.224	5.94€



Abrasive & Flap discs

Flap discs

STONE

Stone & construction materials roughing and polishing.
Silicon carbide.

Size (AxBxC)	Grain	Flaps	Code	R.S.P.
115x22.2	C40	72	9.235	2.00€
115x22.2	C60	72	9.236	2.00€
115x22.2	C80	72	9.237	2.00€



IRON

Iron roughing and polishing. Double corundum layered flaps.
Aluminum oxide.

Size (AxBxC)	Grain	Flaps	Code	R.S.P.
115x22.2	A40	72	9.217	1.85€
115x22.2	A60	72	9.271	1.85€
115x22.2	A80	72	9.216	1.85€
115x22.2	A120	72	9.222	1.85€





STANDS

Stands



Accessories for every tool

We offer a great range of accessories to fulfill every work's need.

Accessories for hammers, drills, screwdrivers, angle grinders, sanders, reciprocating saws, jig saws, and many more.

Because offering the best solutions is one of our main goals.

because of that each one of our departments analyzes the market needs daily and look for different solutions to improve our tools in order to improve our clients work.

Discs stand (diamond & abrasive)



Discs stand
Code 11.5829



Triangle stand
173x55x9.5cm
Code 1697.36



Wooden horse stand
Porcelainic bits
Ø6 - 8 - 10 - 12 - 20 - 25 -
30 - 35 - 45 - 75mm.
Code 1697.34



Wooden horse stand
Diamond discs
Ø mm.
Code 1.477



Cardboard stand
Code



Wood stand
Code



Bits SDS-PLUS stand
Code 1.1269

Storage



Backpack




Small bag



Big bag



Trolley



ACCESSORIES CATALOGUE 2021

STAYER IBERICA S.A.
c/ Sierra de Cazorla 7
Área empresarial de Andalucía
28320 Pinto (Madrid) SPAIN
Tlf +34 91 691 86 30
Fax +34 91 691 86 31
info@grupostayer.com



This catalogue is aimed to export.
Photographies included are merely representative.
The company holds the rights to modify or change products without previous notice
© 2021 - Grupo Stayer - Design and Marketing department.

English · ver · 01/2021

